$Mvar-External Communication Layer-Technical Guide_v1.0_Track Change. docx$

Main document changes an	d comments	
Page 1: Added	Elia ECL Team	03/10/2025 23:02:00
		1.
Page 1: Deleted	Elia ECL Team	03/10/2025 23:02:00
		.3
Page 1: Deleted	Elia ECL Team	03/10/2025 23:02:00
;		
Page 1: Added	Elia ECL Team	03/10/2025 23:02:00
Page 2: Deleted	Elia ECL Team	03/10/2025 23:02:00
DETAILS ARE LIKELY	TO CHANGE IN THE FUTURE	

DETAILS ARE LIKELY TO CHANGE IN THE FUTURE.

Page 2: Added Elia ECL Team 03/10/2025 23:02:00

Limited details are likely to change in the future. The overall design & architecture should not.

Page 5: Deleted	Elia ECL Team	03/10/2025 23:02:00
before		_
Page 5: Added	Elia ECL Team	03/10/2025 23:02:00
after		
Page 5: Added	Elia ECL Team	03/10/2025 23:02:00
1.0		
Page 5: Added	Elia ECL Team	03/10/2025 23:02:00
03/10/2025		
Page 5: Added	Elia ECL Team	03/10/2025 23:02:00
Version containing description	of both Outages and Activations	
	-	
Page 5: Deleted	Elia ECL Team	03/10/2025 23:02:00
Clement Hoedenaeken		

ia ECL Team ia ECL Team ia ECL Team ia ECL Team	03/10/2025 23:02:00 03/10/2025 23:02:00 03/10/2025 23:02:00 03/10/2025 23:02:00
ia ECL Team ia ECL Team	03/10/2025 23:02:00 03/10/2025 23:02:00
ia ECL Team ia ECL Team	03/10/2025 23:02:00 03/10/2025 23:02:00
ia ECL Team ia ECL Team	03/10/2025 23:02:00
ia ECL Team ia ECL Team	03/10/2025 23:02:00
ia ECL Team	
ia ECL Team	
	03/10/2025 23:02:00
	03/10/2025 23:02:00
ia ECL Team	03/10/2025 23:02:0
e Providers)	
ia ECL Team	03/10/2025 23:02:0
i- FOI T	02/40/2025 22 62 2
	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
ia ECL Team	03/10/2025 23:02:0
	ia ECL Team CL Go-Live is scheduled for 1st Feb 2 ia ECL Team ia ECL Team ia ECL Team ia ECL Team

if the main communication channels fail.

Page 8: Deleted

Elia ECL Team


O3/10/2025 23:02:00

Mvar
Unavailabilities

Morket Party
Notifications
Voltage Service Provider

Answer Messages

Page 8: Added Elia ECL Team 03/10/2025 23:02:00



Page 8: Added Elia ECL Team 03/10/2025 23:02:00

• In case of issues in both channels, phone and email could also be used.

Page 9: Deleted Elia ECL Team 03/10/2025 23:02:00

This part will be detailed during Q2 2025

Page 9: Added Elia ECL Team 03/10/2025 23:02:00

- Phone calls
- Emails

Page 10: Added Elia ECL Team 03/10/2025 23:02:00

Attention Point:

The Go-Live of the CIM-based ECL will occur on 1st of February 2027.

Before that date, the MVAr Activation messages and their acknowledgment messages will be exchanged using the legacy messaging system Revolt, with phone calls and emails as backup systems. This corresponds to the system in use in 2025 and 2026. Messages related to the entrance or exit of Power Saving Mode will not be received by Elia before the 1st of February 2027. Other availability messages will be either sent through the webclient or through phone calls or emails.

Page 11: Added Elia ECL Team 03/10/2025 23:02:00

Note II: Upcoming RabbitMQ version upgrade consideration

In the near future, we will need to upgrade our RabbitMQ version, necessitating a transition from classic queues to quorum queues. The impact should be only on ELIA side and therefore transparent for VSPs.

Page 11: Deleted	Elia ECL Team	03/10/2025 23:02:00
current		
Page 11: Added	Elia ECL Team	03/10/2025 23:02:00
already connected to ELIA for the i	caros project	
Page 13: Deleted	Elia ECL Team	03/10/2025 23:02:00
i .		
Page 13: Added	Elia ECL Team	03/10/2025 23:02:00
e		., .,
•		
Page 13: Deleted	Elia ECL Team	03/10/2025 23:02:00
Una		
•		
Page 13: Added	Elia ECL Team	03/10/2025 23:02:00
E		
•		
Page 13: Deleted	Elia ECL Team	03/10/2025 23:02:00

Page 13: Added	Elia ECL Team	03/10/2025 23:02:00
en		., .,
•		
Page 13: Deleted	Elia ECL Team	03/10/2025 23:02:00
у		
0		
Page 15: Deleted	Elia ECL Team	03/10/2025 23:02:00
MvarUnavailibilityAnswered		
•	FI: FO! T	02/40/2025 22 02 02
Page 15: Added	Elia ECL Team	03/10/2025 23:02:00
MvarEvent		
Page 16: Deleted	Elia ECL Team	03/10/2025 23:02:00
Una		05, 13, 2020 20.02.00
Page 16: Added	Elia ECL Team	03/10/2025 23:02:00
E		
Page 16: Deleted	Elia ECL Team	03/10/2025 23:02:00
ailibili		
Page 16: Added	Elia ECL Team	03/10/2025 23:02:00
en		
Page 16: Deleted	Elia ECL Team	03/10/2025 23:02:00
У		
Page 16: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVARUnavailibilitySubmitted		
Page 16: Added	Elia ECL Team	03/10/2025 23:02:00
MvarEventSubmitted	Liid LCL Tealii	03/10/2023 23.02.00
°		
Page 18: Added	Elia ECL Team	03/10/2025 23:02:00
	xample 2029-04-01T00:00:00.000Z.	· ·
	,	
Page 24: Deleted	Elia ECL Team	03/10/2025 23:02:00
3		
Page 24: Added	Elia ECL Team	03/10/2025 23:02:00
2		
Page 27: Deleted	Elia ECL Team	03/10/2025 23:02:00

Page 27: Added	Elia ECL Team	03/10/2025 23:02:00
the		
Page 27: Deleted	Elia ECL Team	03/10/2025 23:02:00
(This section will be published in detail i	in a later version of the document).	
Page 27: Added	Elia ECL Team	03/10/2025 23:02:00
Acknowledgement MarketDocument.		
Page 27: Added	Elia ECL Team	03/10/2025 23:02:00
in iso format ISO 8601 (for example: 2029-04-01	T00:00:00.000Z)	
Page 27: Added	Elia ECL Team	03/10/2025 23:02:00
S		
Page 28: Deleted	Elia ECL Team	03/10/2025 23:02:00
ActivationRequestAnswered).		
Page 28: Added	Elia ECL Team	03/10/2025 23:02:00
MvarEventAnswered.		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00
(currently not foreseen to be used)		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00
(currently not foreseen to be used)		
Page 29: Deleted	Elia ECL Team	03/10/2025 23:02:00
or waiting for confirmation (Y99) in		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00
code		
Page 29: Deleted	Elia ECL Team	03/10/2025 23:02:00
include		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00
be included to detail		
Page 29: Deleted	Elia ECL Team	03/10/2025 23:02:00
reason code described in the validation rules		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00
rejection.		
Page 29: Added	Elia ECL Team	03/10/2025 23:02:00

Page 29: Added		Elia ECL Team	03/10/2025 23:02:00
details	N	(if any) details to help pinpoint the reason	for the issue.


Page 30: Deleted Elia ECL Team 03/10/2025 23:02:00

This notification allows

Page 30: Added


Page 30: Added Elia ECL Team 03/10/2025 23:02:00

Notification messages allow Elia



Elia ECL Team

03/10/2025 23:02:00



Page 31: Deleted Elia ECL Team 03/10/2025 23:02:00

A27 = Resource

Page 31: Added Elia ECL Team 03/10/2025 23:02:00

Z02 = Scheduling Agent

A46 = Balancing Service

Page 31: Added Elia ECL Team 03/10/2025 23:02:00

Z03 = Outage Planning Agent

A27 = Ressource Provider (used for Voltage Service Provider)

 Page 32: Deleted
 Elia ECL Team
 03/10/2025 23:02:00

(see

Page 32: Added Elia ECL Team 03/10/2025 23:02:00

Page 33: Deleted Elia ECL Team 03/10/2025 23:02:00

This section will be worked out in detail in during Q2 of 2025

Page 33: Deleted Elia ECL Team 03/10/2025 23:02:00

using

1.

Page 33: Added Elia ECL Team 03/10/2025 23:02:00

(availabilities changes, ...)

Page 33: Added Elia ECL Team 03/10/2025 23:02:00

main

Page 33: Added Elia ECL Team 03/10/2025 23:02:00

In case of issues in both channels, phone and email could also be used.

Page 33: Added Elia ECL Team 03/10/2025 23:02:00

- Phone calls
- Emails

Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
All		
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
First, all		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
Qmin and Qmax.		
Page 34: Added	Flia FCI Team	03/10/2025 23:02:00

Qtech min and Qtech max (as defined in Annex 1 of the VSP terms & conditions)

Page 34: Added Elia ECL Team 03/10/2025 23:02:00

Depending on the reactive power availability logic declared by the VSP in Annex 1 of the VSP contract, Elia will use OPA and/or SA data to determine a preliminary Availability Status for each Technical Unit of the VSP for all the years up to year+3. It is then the responsibility of the VSP to make corrections of reactive power availability that could not be concluded from OPA and/or SA data.

Page 34: Added Elia ECL Team 03/10/2025 23:02:00

These events could have an impact on the power grid and must therefore be announced 1 month in advance at least.

Page 34: Deleted Elia ECL Team 03/10/2025 23:02:00

Notes:

The band could be set to 0 for any of those events or any other fixed value if setting Qmin=Qmax.

Some events can be submitted more than 3 years in advance even though the availability plan is not yet generated.

Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
----------------	---------------	---------------------

Notes:

- The band could be set to 0 for any of those events or any other fixed value if setting Qmin=Qmax.
- Some events can be submitted more than 3 years in advance even though the availability plan is not yet generated.

Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
service		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
service		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
three		
three		
three Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
	Elia ECL Team	03/10/2025 23:02:00

Page 34: Added Elia ECL Team 03/10/2025 23:02:00

- Manual mode unavailable: Controlling units can declare that they can only do automatic control. Therefore they must declare they can not use their manual mode.
- Automatic control unavailable: Controlling units can declare that they can only do manual control as their automatic control mode is unavailable.

Page 34: Added Elia ECL Team	03/10/2025 23:02:00
------------------------------	---------------------

A power saving mode can either have an end date or none. In case no end date is specified, the exiting power saving mode message is expected in order to end the event.


•		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
Return to contractual		
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
Exiting power saving		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
or manual		_
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
only. The availability plan		
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00

- with no end date.
- In case an end date was not specified for a delivery point, the exiting power saving mode indicates the mode has ended.

In case of power saving mode with end date, exiting power saving mode

Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
have no impact. The correct wa	ay would	
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
reset		
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
o to amend the	end of the power saving mode. If the ex	kiting power saving mode has no
	assumed the exit happens at the time of	•
If the exiting power saving mod	de has a start date, the power saving mod	de will be assumed
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
end at		
Page 34: Deleted	Elia ECL Team	03/10/2025 23:02:00
contractual values		
Page 34: Added	Elia ECL Team	03/10/2025 23:02:00
start date time		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
	e end date for a exiting power saving mod	
,		J
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
S		
Page 35: Deleted	Elia ECL Team	02/10/2025 22:02:00
refused	Elid ECL Tedili	03/10/2025 23:02:00
reruseu		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
asked to be changed		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
S		
Page 35: Deleted	Elia ECL Team	03/10/2025 23:02:00
rage 33. Deleteu	Liid LCL Tedili	03/10/2023 23.02.00
•		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
and not mandatory.		
Page 35: Deleted	Elia ECL Team	03/10/2025 23:02:00
control service type event		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
raye JJ: Auueu	Ella ECL TEATII	03/10/2025 23:02:00

Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
1.1.1		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
(mvar events are both service c	ontrol type and unavailability events)	
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
Page 35: Added	Elia ECL Team	03/10/2025 23:02:00
t		
Page 36: Deleted	Elia ECL Team	03/10/2025 23:02:00
unavailability		
Page 36: Added	Elia ECL Team	03/10/2025 23:02:00
mvar		
Page 36: Deleted	Elia ECL Team	03/10/2025 23:02:00




Elia ECL Team

03/10/2025 23:02:00

This image must be updated in a future version of this Guide to be aligned with the T&C.

Page 36: Added



Page 36: Deleted	Elia ECL Team	03/10/2025 23:02:00
li		
Page 36: Added	Elia ECL Team	03/10/2025 23:02:00
i		
Page 36: Deleted	Elia ECL Team	03/10/2025 23:02:00
return to contractual value		
Page 36: Added	Elia ECL Team	03/10/2025 23:02:00
exiting power saving mode		
Page 36: Deleted	Elia ECL Team	03/10/2025 23:02:00
another service control type event		
Page 36: Added	Elia ECL Team	03/10/2025 23:02:00
an entering power saving mode messag	e was sent	
Page 37: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXXX		
Page 37: Added	Elia ECL Team	03/10/2025 23:02:00
Z17		
Page 37: Deleted	Elia ECL Team	03/10/2025 23:02:00
Z01 = Short term unavailability information		
Page 37: Added	Elia ECL Team	03/10/2025 23:02:00
340 Malana Harris Halling Information	·	

Z19 = Voltage Unavailability Information

Page 37: Deleted	Elia ECL Te	eam	03/10/2025 23:02:00
XXX = VSP			
Page 37: Added	Elia ECL Te	eam	03/10/2025 23:02:00
A37 Dansaus Paridas			
A27 = Ressource Provider			
Page 37: Added	Elia ECL Te	eam	03/10/2025 23:02:00
. In isoformat ISO 8601 .			
Page 38: Added	Elia ECL Te	eam	03/10/2025 23:02:00
reason_code	Y	Three different codes ar Y231="Human"	e allowed
		Y231="Human" Y232="Technical"	
		Y233= "Other"	
Page 38: Deleted	Elia ECL Te	eam	03/10/2025 23:02:00
Reason			
Page 38: Added	Elia ECL Te	eam	03/10/2025 23:02:00
reason_text			
Page 38: Deleted This list can contain two elements and allows ac	Elia ECL Te		03/10/2025 23:02:00 the myor event
This list can contain two elements and allows at	dutional free text in	offination to contextualize	the mvar event.
Page 38: Added	Elia ECL Te	eam	03/10/2025 23:02:00
Free text box (Minimum 10 characters & 1 blank	k space)		
Page 38: Deleted	Elia ECL Te	eam	03/10/2025 23:02:00
maximum available capacity is used			
Page 38: Added	Elia ECL Te	eam	03/10/2025 23:02:00
qmin and qmax are applicable			
Page 38: Deleted	Elia ECL Te	eam	03/10/2025 23:02:00
Reason			00/10/1010 10:01:00
Page 38: Moved to page 40 (Move #1)	Elia ECL Te	eam	03/10/2025 23:02:00
Field	Mandatory	Description	
Page 38: Deleted	Elia ECL Te	eam	03/10/2025 23:02:00
code	Y	The code that represents	
		A95 = Complementary in	formation (additional
		information on the unav	allability) or

		Y30 = Remarks (more detailed information on the event that allows a full understanding of its potential impact)
text	Υ	Both codes allow free text

Page 39: AddedElia ECL Team03/10/2025 23:02:00(can be negative)

Page 39: Added Elia ECL Team 03/10/2025 23:02:00 (can be negative)

Page 39: Added Elia ECL Team 03/10/2025 23:02:00

To be noted: Contrary to all other events, power saving mode is not expected to have a known end date. Therefore two messages are foreseen. One when entering the mode and one when exiting the mode. It is also possible to use the end date if desired.

Page 39: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXXX		
Page 39: Added	Elia ECL Team	03/10/2025 23:02:00
Z18		
Page 39: Deleted	Elia ECL Team	03/10/2025 23:02:00
service control type		
Page 39: Added	Elia ECL Team	03/10/2025 23:02:00
Service Control Type		
Page 39: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX=tbd		
Page 39: Added	Elia ECL Team	03/10/2025 23:02:00
Z19 =Voltage Service Control Type Information		
Page 39: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXXX = VSP		
Page 39: Added	Elia ECL Team	03/10/2025 23:02:00
A27 = Resource Provider		
Page 39: Added	Elia ECL Team	03/10/2025 23:02:00
in iso format ISO 8601.		
Page 40: Deleted	Elia ECL Team	03/10/2025 23:02:00
raye 40. Deleted	Elid ECL Tedili	03/10/2025 23:02:00

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Ν

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

Identifies the nature of the service control type event. The following codes are used

XXX = Manual mode only

XXX = Power saving mode

XXX = Return to contractual values

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Not used at the moment, field can nevertheless be sent empty or with anything.

Page 40: Added	Elia ECL Tear	m 03/10/2025 23:02:00
reason	Υ T	Three different values are allowed "Technical",
	u	'Human" or "Other"

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

Reason

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

reason_details

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

This list can contain two elements and allows additional free text information to contextualize the service control type event.

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Free text box (Minimum 20 characters & 4 blank spaces)

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

Α

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

а

Page 40: Deleted	Elia ECL Team	03/10/2025 23:02:00
------------------	---------------	---------------------

Reason			
Field	Mandatory	Description	
codePoint	Υ	The code that represents the reason	
		A95 = Complementary information (additional	
		information onLists of points associated to the period.	
		It should contain as many points as needed to complete	
		the period. If only 1 point is given, it is assumed that the	
		same service control type event) or	

Y30 = Remarks (more detailed information on the event
that allows a full understanding of its potential impact)is
applicable for the entire period.

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Point

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

The code that represents the reason

A95 = Complementary information (additional information on

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Lists of points associated to the period.

It should contain as many points as needed to complete

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

period. If only 1 point is given, it is assumed that the same

Page 40: Deleted Elia ECL Team 03/10/2025 23:02:00

event) or

Y30 = Remarks (more detailed information on the event that allows a full understanding of its potential impact)

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

is applicable for the entire period.

 Page 40: Deleted
 Elia ECL Team
 03/10/2025 23:02:00

 text
 Y
 Both codes allow free text

Page 40: Added Elia ECL Team 03/10/2025 23:02:00

Point

 Page 40: Moved from page 38 (Move #1)
 Elia ECL Team
 03/10/2025 23:02:00

 Field
 Mandatory
 Description


 Page 40: Added
 Elia ECL Team
 03/10/2025 23:02:00

 position
 Y
 The interval number defining which position in the period is indicated. It must start at 1.


 serviceControlType
 Y
 Accepts the following values: "Manual mode unavailable", "automatic mode unavailable", "Power saving mode", "Exiting power saving mode",

Page 41: Added Elia ECL Team 03/10/2025 23:02:00

Page 41: Added	Elia ECL Team	03/10/2025 23:02:00
. The field is optional only for power savi	ng mode entry or exit.	•
Page 41: Deleted	Elia ECL Team	03/10/2025 23:02:00
g		
Page 41: Added	Elia ECL Team	03/10/2025 23:02:00
d		
Page 41: Added	Elia ECL Team	03/10/2025 23:02:00
S .		
Page 41: Deleted	Elia ECL Team	03/10/2025 23:02:00
OPA		
Page 41: Added	Elia ECL Team	03/10/2025 23:02:00
VSP		
Page 42: Deleted	Elia ECL Team	03/10/2025 23:02:00
ding		
Page 42: Added	Elia ECL Team	03/10/2025 23:02:00
t		
Page 42: Deleted	Elia ECL Team	03/10/2025 23:02:00
external communication layer		
Page 42: Added	Elia ECL Team	03/10/2025 23:02:00
External Communication Layer		
Page 42: Deleted	Elia ECL Team	03/10/2025 23:02:00



Page 42: Added Elia ECL Team 03/10/2025 23:02:00



Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
1.1.1		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar		
Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
$MVAR_A vailability Plan Details Requested$		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar Availability Plan Details Requested		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00

Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVAR_AvailabilityPlanDetailsRetrieved	Liiu Lot Team	05, 10, 2025 25102.00
WWAN_Availability full betails let leved		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar Availa bility Plan Details Retrieved		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar		
Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVAR_AvailabilityPlanDetailsAnswered		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
MvarAvailabilityPlanDetailsAnswered		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		,,
,		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar		
Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVAR_AvailabilityPlanDetailsRequested		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar Availability Plan Details Requested		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar		
Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVAR_AvailabilityPlanDetailsRetrieved	Liiu Lot Team	05/10/2025 25:02:00
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Mvar Availability Plan Details Retrieved		
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
Myar	Liid Lot Team	03, 10, 2023 23.02.00
Page 43: Deleted	Elia ECL Team	03/10/2025 23:02:00
MVAR_AvailabilityPlanDetailsAnswered		
David 42. Added	FILE FOL Trans	02/10/2025 22:02:02
Page 43: Added	Elia ECL Team	03/10/2025 23:02:00
MvarAvailabilityPlanDetailsAnswered		
Page 44: Deleted	Elia ECL Team	03/10/2025 23:02:00

Page 44: Added	Elia ECL Team	03/10/2025 23:02:00
i		
Page 44: Added	Elia ECL Team	03/10/2025 23:02:00
details		
Page 44: Deleted	Elia ECL Team	03/10/2025 23:02:00
TO BE COMPLETED		
Page 44: Added	Elia ECL Team	03/10/2025 23:02:00
Requests will be limited in frequ	ence and period for performance reasc	ons as described in the validation
rules.		
Page 44: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 44: Added Z25	Elia ECL Team	03/10/2025 23:02:00
225		
Page 44: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 44: Added	Elia ECL Team	03/10/2025 23:02:00
Z26		
Page 44: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = Voltage Service		
Page 44: Added	Elia ECL Team	03/10/2025 23:02:00
A27 = Resource		
Page 46: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = Mvar		
Page 46: Added	Elia ECL Team	03/10/2025 23:02:00
Z27 = MVAR		
Page 46: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX =		
Page 46: Added	Elia ECL Team	03/10/2025 23:02:00
Z28 = MVAR		

Page 46: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXXX		
Page 46: Added	Elia ECL Team	03/10/2025 23:02:00
Z29		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
AvailabilityStatusDetail		g to determine how the status was active power outage planning for
Page 47: Deleted	Elia ECL Team	03/10/2025 23:02:00
ContractualValues		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
ExitingPowerSavingMode		
Page 47: Deleted	Elia ECL Team	03/10/2025 23:02:00
0		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
U		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
avai		
Page 47: Deleted	Elia ECL Team	03/10/2025 23:02:00
У		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
able		
Page 47: Added	Elia ECL Team	03/10/2025 23:02:00
AutomaticModeUnavailable= 3		
Page 48: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
Page 49: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
Page 49: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 49: Added	Elia ECL Team	03/10/2025 23:02:00

Page 49: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 49: Added	Elia ECL Team	03/10/2025 23:02:00
Z30		
Page 49: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = Voltage service provider		
Page 49: Added	Elia ECL Team	03/10/2025 23:02:00
A27= Resource Provider		
Page 51: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 51: Added	Elia ECL Team	03/10/2025 23:02:00
Z27		
Page 51: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 51: Added	Elia ECL Team	03/10/2025 23:02:00
Z30		
Page 51: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = XXX		
Page 51: Added	Elia ECL Team	03/10/2025 23:02:00
A01 = detail type		
Page 51: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = Voltage service		
Page 51: Added	Elia ECL Team	03/10/2025 23:02:00
A27= Resource		
Page 51: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXXX		
Page 51: Added	Elia ECL Team	03/10/2025 23:02:00
Z29		
Page 52: Deleted	Elia ECL Team	03/10/2025 23:02:00
ContractualValues		

Page 52: Added	Elia ECL Team	03/10/2025 23:02:00
ExitingPowerSavingMode		
Page 52: Deleted	Elia ECL Team	03/10/2025 23:02:00
0		
Page 52: Added	Elia ECL Team	03/10/2025 23:02:00
U		
Page 52: Added	Elia ECL Team	03/10/2025 23:02:00
avai		
Page 52: Deleted	Elia ECL Team	03/10/2025 23:02:00
у		
Page 52: Added	Elia ECL Team	03/10/2025 23:02:00
able		
Page 52: Added	Elia ECL Team	03/10/2025 23:02:00
Page 53: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)	Elia ECL Team	03/10/2025 23:02:00
1.1.1		
Page 54: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
Page 54: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 54: Added	Elia ECL Team	03/10/2025 23:02:00
Z30		
Page 54: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 54: Added	Elia ECL Team	03/10/2025 23:02:00
Z31		
Page 54: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 54: Added	Elia ECL Team	03/10/2025 23:02:00
Z32		

Page 55: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX		
Page 55: Added	Elia ECL Team	03/10/2025 23:02:00
Z33	Clid CCL Tediti	03/10/2023 23:02:00
255		
Page 55: Deleted	Elia ECL Team	03/10/2025 23:02:00
XXX = Voltage service		
Dago EE: Added	Elia ECL Team	03/10/2025 23:02:00
Page 55: Added A27= Resource	Clid CCL Tediti	03/10/2023 23:02:00
AZ7- Resource		
Page 55: Deleted	Elia ECL Team	03/10/2025 23:02:00
N		
Page 55: Added	Elia ECL Team	03/10/2025 23:02:00
Υ		
Page 55: Added	Elia ECL Team	03/10/2025 23:02:00
mRID of the requested		
Page 55: Deleted	Elia ECL Team	03/10/2025 23:02:00
mRID can be set here if a specific Marke	et Document is requested.	
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
Mvar availability plan overview		· ·
1111		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Retrieving mvar events		
1111		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
_1		. ,
_		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
For the Voltage Service Provide	er, the foreseen use of the notification	queues is mainly foreseen for
settlement purposes (and the sa	ame information could also be sent via	email depending on the market
party preference).		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
11.1		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
		

Outage Planning Agent

Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Voltage Service Provider		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
MvarOu		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Vol		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Service		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
lann		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
rov		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
ng		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
der		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
Outage Planning Agent		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Voltage Service Provider		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
MvarOu		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Vol		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
Service		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
	<u> </u>	

Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
rov		
Page 56: Deleted	Elia ECL Team	03/10/2025 23:02:00
ng		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
der		
Page 56: Added	Elia ECL Team	03/10/2025 23:02:00
(section still in development)		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
Outage Planning Agent		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Voltage Service Provider		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
MvarOu		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Vol		, .,
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Service		33, 33, 3333 3333
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
lann	Liid LCL Team	03/10/2023 23:02:00
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
rov	Liid Lot Fedin	63/ 10/ 2023 23:02:00
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
	Ella ECL Tealli	03/10/2025 23:02:00
ng		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
der		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00

Outage Planning Agent

Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Voltage Service Provider		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
MvarOu	Elid ECL Tedin	03/10/2023 23:02:00
WWarOu		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Vol		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
Service		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
lann		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
rov		
Page 57: Deleted	Elia ECL Team	03/10/2025 23:02:00
ng		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00
der		
Page 57: Added	Elia ECL Team	03/10/2025 23:02:00


1.1 Receiving a mvar activation request

0.0.0 Description

Elia will send asynchronous mvar activation requests messages to the VSP.

VSP will generate one acknowledgement:

• Acknowledgement indicates the good reception of the activation request message



All communications in this flow are done asynchronously.

0.0.0 Queue information (section still in development)

This table contains the queues and exchanges to send and receive messages in a normal scenario:

Message Type	Description	Sender	Receiver	Queue/Exchange
MvarActivation	Activation	Elia	VSP	MvarActivationRequested.[TargetMarketPartyID].OutQ
Requested	request			
MvarActivation	Reception	VSP	Elia	MvarActivationAcknowledged.In.Exch
Request	confirmation			
Acknowledged	of an			
	activation			
	request			
	message			

Error queues (section still in development)

This table contains the queues and exchanges to send and receive message only in case of error:

Message Type	Sender	Receiver	Queue/Exchange
Mvar Activation Requested	VSP	Elia	MvarActivationRequested.Error.Exch
MvarActivation Request	Elia	VSP	MvarActivationAcknowledged.[TargetMarketPartyID].ErrorQ
Acknowledged			

0.0.0 Activation requested message

0.0.0.0 Message granularity

A mvar activation request message groups all selected DPs from a respective VSP.

0.0.0.0 Message timeframe

The mvar activation request message can be sent at any time. The ramping starts immediately or at least starts at the timing mentionned in the message.

The start and end times communicated in the activation request message will be used as the reference for the setpoint target and remuneration.

0.0.0.0 Message description

An Activation Market Document is the message that is used to request a mvar activation.

Activation_MarketDocument (Exactly one element per message)		
Field	Mandatory	Description
mRID	Υ	Unique identifier for the MarketDocument
revisionNumber	Υ	Version number for the MarketDocument.
Туре	Y	Code for type of MarketDocument. A40 = Mvar Activation Document
sender_MarketParticipant.mRID	Y	The identification of the sender (EIC code) 10X1001A1001A094 = Elia
sender_MarketParticipant.marketRole.type	Y	The role code associated with receiver. Fixed value: A04 = System Operator
receiver_MarketParticipant.mRID	Υ	The identification of the receiver (EIC code)
receiver_MarketParticipant.marketRole.type	Y	The role code associated with the receiver: A27 = Ressource Provider
createdDateTime	Υ	The timestamp on which the message was sent
rampingStartTime	Υ	The start of the ramping of the DP
activation_Time_Period.timeInterval	Y	This information provides the start and end date and time of the activation time interval
TimeSeries	Y	Timeseries associated to the market document. It must contain at least one element.

TimeSeries			
Field	Mandatory	Description	
mRID	Υ	Unique identifier for the TimeSeries	
businessType	Υ	Identifies the reason why an activation is requested.	
		Z21 = Normal Z23 = Start-Up	
process.processType	Υ	Code for type of process.	

		Z24 = Process with End Time
		Z22 = Process without End time
measurement_Unit.name	Υ	MAR (MegaVar)
RegisteredResource	Υ	DPs associated to timeseries.
		It must contain at least one element.

RegisteredResource			
Field	Mandatory	Description	
mRID	Υ	External Unique identifier of the DP to be activated	
timeInterval	Υ	The start and end date and time of the mvar activation.	
flowDirection.direction	Y	The coded identification of the direction of energy flow. A01 = UP A02 = DOWN	
Point	Υ	List of points associated to the period.	
resolution	Υ	Amount of time for each interval in which a data value is defined. PT1M = 1 minutes	

timeInterval		
Field	Mandatory	Description
start	Υ	The start date and time of the interval
end	Υ	The end date and time of the interval

Point		
Field	Mandatory	Description
position	Υ	The interval number defining which position in the
		timeseries is indicated. It must start at 1.
setPoint	Υ	The Mvar Setpoint that is requested. We require an
		accuracy of 0.1 Mvar.

0.0.0 Activation acknowledged message

0.0.0.0 Message granularity

One mvar activation acknowledgement must be sent for each mvar activation request submitted by Elia.

0.0.0.0 Message timeframe

This acknowledgement must be sent immediately after the reception of the mvar activation request message.

0.0.0.0 Message description

As described in the definition of acknowledgement message (see

Page 61: Added Elia ECL Team 03/10/2025 23:02:00

).

0.0.0 Back-up activation request message

As mentioned in chapter

Page 61: Added Elia ECL Team 03/10/2025 23:02:00

, a back-up communication channel is put in place for the sending of activation request messages.

If Elia does not receive an activation acknowledged message within a reasonable timeframe after the sending of the activation requested message, Elia will automatically trigger the back-up process.

Activation requested message

The mvar activation requested message will be sent via e-mail to the contractual 24/7 email address provided by the VSP.

<u>Title of the message:</u> Elia – Activation Request – Mvar – Start Date and Time – End Date and Time

Example: Elia – Activation Request – Mvar – 05/10/2023 12:45 – 05/10/2023 17:00

Body of the message:

<u>Hello – ELIA has not received a technical acknowledgement after an activation was requested.</u>

This message serves as a back-up communication for the below mvar activation:

Start time	DP
Requested setpoint	List of DP EAN included in the activation request

Example:

12:45	DP
25,0	541453137445795650;541453127036684861

Attachement:

The Mvar activation requested message described in Chapter

Page 61: Added Elia ECL Team 03/10/2025 23:02:00

initially sent to the VSP (JSON) will be included as attachement to the email.

Activation acknowleged message

Activation acknowleged message will be accepted via e-mail but are not compulsory for the good execution of the process. Such message has to be sent to

Page 62: Added	Elia ECL Team	03/10/2025 23:02:00
1		

Page 62: Added Elia ECL Team 03/10/2025 23:02:00

for the DEMO environment).

The validation rules applied to the Activation acknowleged message will be similarly applied to the Activation acknowleged message sent via email.

<u>Title of the message</u>: VSP Name – Activation acknowleged message – Mvar – Start Date and Time – End Date and Time

Example: VSP1- Activation acknowleged message – Mvar – 05/10/2023 12:45 – 05/10/2023 13:00

Body of the message:

Nothing is expected in the body of the message. Any content added in the body of the message will be accepted but disregarded by Elia.

Attachement:

The Activation acknowleged message described in Chapter

Page 62: Added Elia ECL Team 03/10/2025 23:02:00

that should have been sent via ECL by the VSP(JSON) has to be included as attachement to the email.

1.8 Receiving a mvar communication test


0.0.0 Description

The goal of the test is to test the communication between Elia and voltage service provider. Therefore, the communication test will go through the same communication layers as an activation.

A communication test has an activation message with a specific DP EAN: "999999999999999999999999999999999".

After reception of the activation message in the communication test, the voltage service provider generates one acknowledgement :

 Acknowledgement indicates the good reception of the communication test request message



All communications in this flow are done asynchronously.

0.0.0 Queue information (section still in development)

This table contains the queues and exchanges to send and receive messages in a normal scenario:

Message Type	Description	Sender	Receiver	Queue/Exchange
MvarActivation	Activation	Elia	VSP	MvarActivationRequested.[TargetMarketPartyID].OutQ
Requested	request			
MvarActivation	Reception	VSP	Elia	MvarActivationAcknowledged.In.Exch
Request	confirmation			
Acknowledged	of an			
	activation			
	request			
	message			

Error queues (section still in development)

This table contains the queues and exchanges to send and receive message only in case of error:

Message Type	Sender	Receiver	Queue/Exchange
Mvar Activation Requested	VSP	Elia	MvarActivationRequested.Error.Exch

MvarActivation Request	Elia	VSP	MvarActivationAcknowledged.[TargetMarketPartyID].ErrorQ
Acknowledged			

0.0.0 Activation requested message

0.0.0.0 Message granularity

Similarly to a mvar activation request, a mvar communication test message groups all selected DPs from a respective VSP.

0.0.0.0 Message timeframe

The mvar communication test message can be sent at any time. The ramping starts immediately or at least starts at the timing mentionned in the message.

The start and end times communicated in the communication test message will be used as the reference for the setpoint target and remuneration.

0.0.0.0 Message description

An Activation Market Document is the message that is used to request a mvar communication test.

Activation_MarketDocument (Exactly one element per message)				
Field	Mandatory	Description		
mRID	Υ	Unique identifier for the MarketDocument		
revisionNumber	Υ	Version number for the MarketDocument.		
Туре	Y	Code for type of MarketDocument. A40 = Mvar Activation Document		
sender_MarketParticipant.mRID	Υ	The identification of the sender (EIC code) 10X1001A1001A094 = Elia		
sender_MarketParticipant.marketRole.type	Y	The role code associated with receiver. Fixed value: A04 = System Operator		
receiver_MarketParticipant.mRID	Υ	The identification of the receiver (EIC code)		
receiver_MarketParticipant.marketRole.type	Y	The role code associated with the receiver: A27 = Ressource Provider		
createdDateTime	Υ	The timestamp on which the message was sent		
rampingStartTime	Υ	The start of the ramping of the DP		
activation_Time_Period.timeInterval	Y	This information provides the start and end date and time of the activation time interval		
TimeSeries	Y	Timeseries associated to the market document. It must contain at least one element.		

TimeSeries		
Field	Mandatory	Description

mRID	Υ	Unique identifier for the TimeSeries
businessType	Υ	Identifies the reason why an activation is requested.
		Z21 = Normal
		Z23 = Start-Up
process.processType	Υ	Code for type of process.
		Z24 = Process with End Time
		Z22 = Process without End time
measurement_Unit.name	Υ	MAR (MegaVar)
RegisteredResource	Υ	DPs associated to timeseries.
		It must contain at least one element.

RegisteredResource			
Field	Mandatory	Description	
mRID	Υ	External Unique identifier of the DP to be activated 999999999999999999999999999999999999	
timeInterval	Υ	The start and end date and time of the mvar activation.	
flowDirection.direction	Y	The coded identification of the direction of energy flow. A01 = UP A02 = DOWN	
Point	Υ	List of points associated to the period.	
resolution	Υ	Amount of time for each interval in which a data value is defined. PT1M = 1 minutes	

timeInterval		
Field	Mandatory	Description
start	Υ	The start date and time of the interval
end	Υ	The end date and time of the interval

Point		
Field	Mandatory	Description
position	Υ	The interval number defining which position in the
		timeseries is indicated. It must start at 1.
setPoint	Υ	The Mvar Setpoint that is requested. We require an
		accuracy of 0.1 Mvar.

0.0.0 Activation acknowledged message

0.0.0.0 Message granularity

One mvar communication test acknowledgement must be sent for each mvar communication test submitted by Elia.

0.0.0.0 Message timeframe

This acknowledgement must be sent immediately after the reception of the mvar communication test message.

0.0.0.0 Message description

As described in the definition of acknowledgement message (see

ige 66: Added	Elia ECL Team	03/10/2025 23:02:00

Page 67: Deleted	Elia ECL Team	03/10/2025 23:02:00
This section will be worked out	t in detail during Q2 of 2025	
Page 72: Added	Elia ECL Team	03/10/2025 23:02:00
<u>1</u>		
Page 74: Deleted	Elia ECL Team	03/10/2025 23:02:00
first very rough		
Page 74: Deleted	Elia ECL Team	03/10/2025 23:02:00
what could		
Page 74: Deleted	Elia ECL Team	03/10/2025 23:02:00
rules		
Page 74: Added	Elia ECL Team	03/10/2025 23:02:00

0.0.0 Error codes

Each validation rule will send back a specific reason code (in addition to the error text).

The error code can be found in each error section.

When EIC codes were not existing for the specific error, custom codes were created. Those codes start with the letter "Y" and will be discussed with ENTSO-E in the future. Nevertheless, they are not expected to change in the short term.

Page 75: Added Elia ECL Team 03/10/2025 2

or for any other reason leading to a potential impact on the grid operation

Page 75: Added	Elia ECL Team	03/10/2025 23:02:00
overview/details		
1111		
Page 75: Added	Elia ECL Team	03/10/2025 23:02:00
overview/details		
Page 75: Added	Elia ECL Team	03/10/2025 23:02:00

1.1.1.1 Mvar event requests

Mvar event requests are messages sent by market parties in order to get returned a specific event sent by them earlier.

Page 75: Moved from page 79 (Move #2)	Elia ECL Team	03/10/2025 23:02:00
---------------------------------------	---------------	---------------------

Conditions

1.1.1

Page 75: Added Elia ECL Team 03/10/2025 23:02:00
--

1.1.1 for all Mvar events

Page 75: Moved from page 77 (Move #3)	Elia ECL Team	03/10/2025 23:02:00
---------------------------------------	---------------	---------------------

1.1.1.1 A VSP can not submit events for delivery points belonging to another VSP

Page 75: Added Elia ECL Team	03/10/2025 23:02:00
------------------------------	---------------------

A VSP can only submit events for delivery points on which he has VSP contractual rights/obligations (as defined in its VSP contract).

Error code: Y200

Page 76: Moved from page 77 (Move #4)	Elia ECL Team	03/10/2025 23:02:00
---------------------------------------	---------------	---------------------

1.1.1.1 Versioning & ids

Each event must have a unique ID & version number (per VSP).

Page 76: Added	Elia ECL Team	03/10/2025 23:02:00

Error code: Y201

0.0.0.0 Each unavailability event must have a valid reason

In TimeSeries > reason, only three values are allowed: "Technical", "Human", "Other". Any other value will lead to the rejection of the message (capitalization does not matter).

Error code: Y202

0.0.0.0 Each unavailability event must be accompanied by reason details

In TimeSeries > reason_details, the values must at least be 10 characters long and contain 1 blank space.

Error code: Y203

0.0.0.0 Technical start and end date limitations

The start_DateAndOrTime.date and end_DateAndOrTime.date are limited in order to avoid unlogical or overloading submissions.

The start_DateAndOrTime.date can not be more than 10 years in the future from the submission date.

The end_DateAndOrTime.date (if specified) can not be more than 10 years in the future from the submission date.

Error code: Y211

Page 76: Added	Elia ECL Team	03/10/2025 23:02:00
, with Qmin lower than or equal to Qma	х	
Page 76: Added	Elia ECL Team	03/10/2025 23:02:00
- Qmin and Qmax are numbers (fl	oat)	
Page 76: Deleted	Elia ECL Team	03/10/2025 23:02:00
S		
Page 76: Added	Elia ECL Team	03/10/2025 23:02:00
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y205		
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y206		
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y207		
Page 77: Moved to page 75 (Move #3)	Elia ECL Team	03/10/2025 23:02:00

1.1.1.1 A VSP can not submit events for delivery points belonging to another VSP

Page 77: Deleted	Elia ECL Team	03/10/2025 23:02:00
------------------	---------------	---------------------

A vsp can only submit events for delivery points on which he has contractual rights/obligations (as defined in its VSP contract).

Page 77: Moved to page 76 (Move #4)	Elia ECL Team	03/10/2025 23:02:00
-------------------------------------	---------------	---------------------

1.1.1.1 Versioning & ids

Each event must have a unique ID & version number (per VSP).

Page 77: Deleted	Elia ECL Team	03/10/2025 23:02:00
"Forced outage", "planned unavailabil	ity" and "testing"	
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
the three following values		
Page 77: Deleted	Elia ECL Team	03/10/2025 23:02:00
. Other named events will be rejected		
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
as businessType in the Timeser	ies of an unavailability event	
	ies of an unavailability event Elia ECL Team	03/10/2025 23:02:00
as businessType in the Timeser Page 77: Added A53 = Planned Maintenance (Pl	Elia ECL Team	03/10/2025 23:02:00
Page 77: Added	Elia ECL Team anned	
Page 77: Added	Elia ECL Team	03/10/2025 23:02:00
Page 77: Added A53 = Planned Maintenance (Pl	Elia ECL Team Elia ECL Team	
Page 77: Added A53 = Planned Maintenance (Pl	Elia ECL Team Elia ECL Team	
Page 77: Added A53 = Planned Maintenance (Pl Page 77: Deleted events can only concerns delivery points	Elia ECL Team anned Elia ECL Team nts defined in the VSP contract.	03/10/2025 23:02:00
Page 77: Added A53 = Planned Maintenance (Pl Page 77: Deleted events can only concerns delivery points	Elia ECL Team anned Elia ECL Team nts defined in the VSP contract.	03/10/2025 23:02:00
Page 77: Added A53 = Planned Maintenance (Pl Page 77: Deleted events can only concerns delivery point Page 77: Added)	Elia ECL Team Elia ECL Team Ints defined in the VSP contract. Elia ECL Team Elia ECL Team	03/10/2025 23:02:00

A54 = Unplanned Outage (Forced Outage)

B83 = Testing

Page 77: Added

Error code: A62

Paue //: Deleteu Ella ECL Tealli V3/10/2023 23:02:0	Page 77: Deleted	Elia ECL Team	03/10/2025 23:02:00
---	------------------	---------------	---------------------

Elia ECL Team

03/10/2025 23:02:00

Each unavailability event must be accompanied by a reason

Reason will be a free text field which, mandatorly, must be filled in for each unavailability event.

Page 77: Added Elia ECL Team 03/10/2025 23:02:00

Error code: Y38

Page 77: Deleted Elia ECL Team 03/10/2025 23:02:00

Those events will be rejected after a manual verification.

Page 77: Added Elia ECL Team 03/10/2025 23:02:00

In such cases, Elia will contact the market party to find an arrangement.

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

Error code: None is this rule is an exception to the normal timeframe rules.

Page 78: Deleted Elia ECL Team 03/10/2025 23:02:00

Example

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

Valid examples that are not rejected

Page 78: Deleted Elia ECL Team 03/10/2025 23:02:00

6hours

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

6 hours

Page 78: Deleted Elia ECL Team 03/10/2025 23:02:00

2hours

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

2 hours

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

Error code: Y209

0.0.0.0 The unit of measure should be MAR

In TimeSeries > quantity_Measure_Unit.name : value should always be "MAR" (=MVAR in CIM model)

Error code: Y210

Page 78: Added Elia ECL Team 03/10/2025 23:02:00

Error code: Y212

Page 78: Deleted	Elia ECL Team	03/10/2025 23:02:00
quarther-hour (24hours) in the past		
Page 78: Added	Elia ECL Team	03/10/2025 23:02:00
quarter-hour (24 hours) in the past. Not mentioned. In case of misuse it is possib		•
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
End date conditions of forced outage no	t defined yet	
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y213		
Page 79: Moved to page 75 (Move #2)	Elia ECL Team	03/10/2025 23:02:00
Conditions		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
might be set on end date of forced o	utage but are yet to be defined.	
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
hour		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
monthr		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
hour		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
month (=30 days=30*24hours)		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y214		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
Control		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
-		. ,

3,600		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
control type		
1.1.1		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
3		
1111		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
4		
1111		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
only		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
unavailable", "Automatic control un	available	
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
", "Exiting power saving mode		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
Manual		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y215		
Automatic		
1111		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
only		
1111		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
unavailable		
1111		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
they are entering manual		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
their automatic		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00

is unavailable

Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
		03/10/2023 23:02:00
supposed to already be in it. Message	will thus be rejected.	
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
	Liia LCL Team	03/10/2023 23:02:00
not having one.		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y216		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
by	Liid LOL Fodiii	03, 10, 1013 13101100
1111		
	Elia ECL Team	02/10/2025 22:02:00
Page 79: Added for	Ella ECL Team	03/10/2025 23:02:00
1111		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
mode		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
. 430 771 700000		65, 16, 1615 15:61:65
Return to contractual mode		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
Error code: Y217		
Exiting power saving		
1111		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
for units		
1111		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
by unit		
1111		
Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
manual monde only or powering		
1111		
Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
-		

power

1.1.1.1

Page 79: Added	Elia ECL Team	03/10/2025 23:02:00
----------------	---------------	---------------------

1.1.1.1 with no end date.

Exiting power saving mode is a

Page 79: Deleted	Elia ECL Team	03/10/2025 23:02:00
------------------	---------------	---------------------

beforehand

Page 79: Added Elia ECL Team 03/10/2025 23:02:00

sent to signal the power saving mode with no end date has finished. In case such underlying event does not exist, the message makes no sense and will therefore be rejected. In case of a power saving mode with an end date, an update of the end date is expected.

Page 79: Deleted Elia ECL Team 03/10/2025 23:02:00

The return to contractual mode message can not be submitted for a unit who has not deviated from it contractual mode. Such a message would have not impact and therefore can only result from an issue on the sender side and will be rejected.

Page 79: Added Elia ECL Team 03/10/2025 23:02:00

Error code: Y218

Page 80: Added Elia ECL Team 03/10/2025 23:02:00

1.1.1.1 more than 24 hours after it happened.

Controls service type events will be rejected if they are submitted with a start date more than 24 hours in the past.

Error code: Y219

Power saving mode events can not be

1111

Page 80: Deleted	Elia ECL Team	03/10/2025 23:02:00

Controls service type

Page 80: Added Elia ECL Team 03/10/2025 23:02:00

Power saving mode

Page 80: Added Elia ECL Team 03/10/2025 23:02:00

Error code: Y220

MarketDocuments

This section will be worked out in detail in during Q2 of 2025

This chapter contains the technical definition of the MarketDocuments used for all messages exchanged through the Elia External Communication Layer.

Header and footer changes

Text Box changes

Page 11: Added Elia ECL Team 03/10/2025 23:02:00

Note II: Upcoming RabbitMQ version upgrade consideration

In the near future, we will need to upgrade our RabbitMQ version, necessitating a transition from classic queues to quorum queues. The impact should be only on ELIA side and therefore transparent for VSPs.

Page 34: Deleted Elia ECL Team 03/10/2025 23:02:00

Notes:

The band could be set to 0 for any of those events or any other fixed value if setting Qmin=Qmax. Some events can be submitted more than 3 years in advance even though the availability plan is not yet generated.

Page 34: Added Elia ECL Team 03/10/2025 23:02:00

Notes:

- The band could be set to 0 for any of those events or any other fixed value if setting Qmin=Qmax.
- Some events can be submitted more than 3 years in advance even though the availability plan is not yet generated.

Header and footer text box changes

Footnote changes

Endnote changes