

Style Definition: Heading 3;PartArt;SLevel2

Style Definition: TOC 1: Font: (Default) +Body (Calibri), Bold, All caps, Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 6 pt, Tab stops: Not at 16,48 cm

Style Definition: TOC 2: Font: (Default) +Body (Calibri), Small caps, Left, Indent: Left: 0,35 cm, First line: 0 cm, Space Before: 0 pt, After: 0 pt, Tab stops: Not at 16,48 cm

Style Definition: TOC 3: Font: (Default) +Body (Calibri), Italic, Left, Indent: Left: 0,71 cm, First line: 0 cm, Space Before: 0 pt, After: 0 pt, Tab stops: Not at 16,48 cm

Appendix: Proposition of Contract for Restoration Services

(hereafter referred to as the "Contract")

10 March 2023

Version for Public Consulatation

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia:

1<u>/</u>5 V1/2023



Contract Reference [ContractReference]

between

[Company], a company established under [Country] law with registered offices at [Address], company registration number [Number] and validly represented by [Name1] and [Name2], in their respective capacity of [Role1] and [Role2];

hereinafter referred to as the "[ServiceProvider]",

and

Elia Transmission Belgium S.A./N.V., a public limited company under Belgian law with registered offices at Boulevard de l'Empereur 20, B-1000 Brussels, Belgium, registered under the crossroads bank for enterprises under number 731.852.231 and represented by [Name1] and [Name2], in their respective functions of [Role1] and [Role2];

hereinafter referred to as "Elia",

Elia and the **[ServiceProvider]** may also hereinafter be referred to individually as "the Party" and collectively as "the Parties".

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia: 2<u>/</u>5 <u>V1/2023</u>



Whereas:

- Elia is responsible for the operation of the Belgian transmission system over which it has an ownership right or, at least, a right of use (hereinafter referred to as the "Elia Grid");
- Elia has been appointed as Transmission System Operator (hereinafter referred to as the "TSO"), in accordance with the Belgian law of 29 April 1999 concerning the organisation of the electricity market (hereinafter referred to as the "Electricity Law") and supervises the safety, reliability and efficiency of the Elia Grid;
- Elia must therefore ensure the provision of the requisite restoration services (the "Restoration Services" or the "Services") in accordance with the relevant provisions of the European Regulations, such as the Commission Regulation (EU) 2017/2196 of 24 November 2017 establishing a network code on electricity emergency and restoration ("E&R NC") and the Belgian legislation;
- The RSP has expressed its willingness to become a Restoration Service Provider ("RSP") according to the terms and conditions of this Contract for Restoration Services;
- The Parties understand that this Contract is not a contract granting access to the Elia Grid.
- This Contract defines the mutual rights and obligations of Elia and the Service Provider relating to the provision of the Services;
- This Contract <u>falls undercontains</u> the Terms and Conditions for Restoration Services <u>as meant in</u> <u>Articles 4.2.b) and 4.4 of E&R NC;</u>
- This Contract has been established according to Articles 4, §§1 and 5, and Article 228 of the CREG
 Code of Conduct of 20 October 2022.

Formatted: Line spacing: single

The following has been agreed:

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia: 3<u>/</u>5 V1/2023



Contents

PART I - GENERAL CONDITIONS 1

Art. 1.1	<u>Definitions</u>
Art. 1.2	-Scope of Services and contractual structure 3
Art. 1.3	Additional rules of interpretation 3
Art. I.4	Entry into force and duration of this Contract 3
Art. 1.5	Invoicing and payment 4
Art. 1.6	Liability 5
Art. 1.7	Emergency and Force Majeure 6
Art. 1.8	
Art. 1.9	- Obligation of information 9
Art. 1.10	-Review 9
Art. 1.11	Premature dissolution in case of serious default 10
Art. 1.12	<u>Miscellaneous clauses 10</u>
7111.1.12	
Art. 1.13	Applicable law – rules regarding disputes – 11 -IC CONDITIONS FOR THE BLACK START SERVICE – 12
Art. 1.13	
Art. 1.13 T II – SPECII Art. 11.1	-IC CONDITIONS FOR THE BLACK START SERVICE 12 — DEFINITIONS 13
Art. 1.13 T II - SPECI Art. 11.1 Art. 11.2	CONDITIONS FOR THE BLACK START SERVICE 12 DEFINITIONS 13 PROCUREMENT OF THE BLACK START SERVICE 16
Art. 1.13 F II - SPECI Art. 11.1	-IC CONDITIONS FOR THE BLACK START SERVICE 12 — DEFINITIONS 13
Art. 1.13 T II - SPECI Art. 11.1 Art. 11.2	CONDITIONS FOR THE BLACK START SERVICE 12 DEFINITIONS 13 PROCUREMENT OF THE BLACK START SERVICE 16
A rt. I.13 T II - SPECI Art. II.1 Art. II.2 Art. II.3	CONDITIONS FOR THE BLACK START SERVICE 12 DEFINITIONS 13 PROCUREMENT OF THE BLACK START SERVICE 16 CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16
Art. <i>I.13</i> T II - SPECI Art. <i>II.1</i> Art. <i>II.2</i> Art. <i>II.3</i> Art. <i>II.4</i>	CONDITIONS FOR THE BLACK START SERVICE 12 DEFINITIONS 13 PROCUREMENT OF THE BLACK START SERVICE 16 CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16 PROVISION OF THE BLACK START SERVICE 18
Art. I.13 T II - SPECH Art. II.1 Art. II.2 Art. II.3 Art. II.4 Art. II.5	- DEFINITIONS FOR THE BLACK START SERVICE 12 - DEFINITIONS 13 - PROCUREMENT OF THE BLACK START SERVICE 16 - CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16 - PROVISION OF THE BLACK START SERVICE 16 - PROVISION OF THE BLACK START SERVICE 18 - EXCHANGE OF DATA RELATING TO THE PERFORMANCE OF THE CONTRACT FOR THE BLACK START
Art. 1.13 T II - SPECII Art. 11.1 Art. 11.2 Art. 11.3 Art. 11.4 Art. 11.5 SERVICE	- DEFINITIONS FOR THE BLACK START SERVICE 12 - DEFINITIONS 13 - PROCUREMENT OF THE BLACK START SERVICE 16 - CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16 - PROVISION OF THE BLACK START SERVICE 18 - EXCHANGE OF DATA RELATING TO THE PERFORMANCE OF THE CONTRACT FOR THE BLACK START - 20
Art. 1.13 T II - SPECII Art. 11.1 Art. 11.2 Art. 11.3 Art. 11.4 Art. 11.5 SERVICE Art. 11.6	COMPLIANCE TESTING OF THE BLACK START SERVICE 12 DEFINITIONS FOR THE BLACK START SERVICE 16 CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16 PROVISION OF THE BLACK START SERVICE 18 EXCHANGE OF DATA RELATING TO THE PERFORMANCE OF THE CONTRACT FOR THE BLACK START -20 COMPLIANCE TESTING OF THE BS Restoration Facilities 21
Art. 1.13 T II - SPECH Art. 11.2 Art. 11.2 Art. 11.3 Art. 11.4 Art. 11.5 SERVICE Art. 11.6 Art. 11.7	
Art. 1.13 T II - SPECH Art. 11.2 Art. 11.2 Art. 11.3 Art. 11.4 Art. 11.5 SERVICE Art. 11.6 Art. 11.7 Art. 11.8	
Art. 1.13 TII SPECH Art. 11.2 Art. 11.2 Art. 11.3 Art. 11.4 Art. 11.5 SERVICE Art. 11.6 Art. 11.7 Art. 11.6 Art. 11.7	FIC CONDITIONS FOR THE BLACK START SERVICE 12 DEFINITIONS 13 PROCUREMENT OF THE BLACK START SERVICE 16 CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICE 16 PROVISION OF THE BLACK START SERVICE 16 COMPLIANCE OF DATA RELATING TO THE PERFORMANCE OF THE CONTRACT FOR THE BLACK START 20 COMPLIANCE TESTING OF THE BS Restoration Facilities 21 REMUNERATION 21 - PENALTIES FOR NON-PERFORMANCE OF THE CONTRACT FOR THE BLACK START SERVICE

ANNEX 1. BLACK START PGMS: 27

ANNEX 2. CONTACT PERSONS 28

ANNEX 3. APPROPRIATION STRUCTURE 30

ANNEX 4. TECHNICAL CHARACTERISTICS OF THE BLACK START PGMS31

ANNEX 5. GEOGRAPHIC DISTRIBUTION OF BS RESTORATION FACILITIES FOR THE BLACK START SERVICE

ANNEX 6. LETTER TEMPLATE FOR THE DESIGNATION BY GRID USER OF A RSP 33

ANNEX 7. TEST PLAN 35

PART I - OBJECT OF THE CONTRACT			
Ar	rt. I.1	Subject matter and scope	2
Ar	rt. 1.2	Implementation Date	2
Ar	rt. 1.3	Language	2

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia:

 4/5
 [ContractReference]

 V1/2023
 [ServiceProvider]

 Signature [SP]:
 Signature [SP]:

Formatted: Font: 15 pt



<u>Art. I.4</u>	eneral provisions
	RAL CONDITIONS1
	IFIC CONDITIONS FOR THE BLACK START SERVICE2
Art. lii.1	Definitions
<u>Art. lii.2</u>	General Provisions
<u>Art. lii.3</u>	Conditions For Bs Restoration Facilities 7 Provision Of The Black Start Service 10
<u>Art. lii.4</u>	Provision Of The Black Start Service
<u>Art. lii.5</u>	Exchange Of Data Relating To The Performance Of The Contract For Restoration Services
	_12
<u>Art. lii.6</u>	Compliance Testing Of The Bs Restoration Facilities
<u>Art. lii.7</u>	Remuneration
<u>Art. lii.8</u>	Penalties For Non-Performance Of The Contract For Restoration Services
<u>Art. lii.9</u>	Indexation Of The Remuneration For The Black Start Service
<u>Art. lii.10</u>	Invoicing And Payments For The Black Start Service
<u>Art. III.11</u>	
ANNEX 1. BLA	CK START PGMS:
	TACT PERSONS
ANNEX 3. APP	ROPRIATION STRUCTURE
ANNEX 4. TEC	INICAL CHARACTERISTICS OF THE BLACK START PGMS23
ANNEX 5. GEO	GRAPHIC DISTRIBUTION OF BS RESTORATION FACILITIES FOR THE BLACK START SERVICE
<u></u>	24
ANNEX 6. LETT	ER TEMPLATE FOR THE DESIGNATION BY GRID USER OF A RSP

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia: 5<u>/</u>5 V1/2023



Part I - OBJECT OF THE CONTRACT

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia: 6<u>/</u>2 <u>V1/2023</u>



ART. I.1 SUBJECT MATTER AND SCOPE

<u>l.1.1</u>	Without prejudice to the legal and regulatory framework, this agreement governs the mutual rights and obligations of the parties for the provision of restoration services by the Service Provider to Elia.
<u>l.1.2</u>	The contract type for the Restoration Services (T&C RSP) contains the proposed terms and conditions applicable to Restoration Service Providers or RSPs pursuant to Article 4(2)b of the network code E&R.
<u>l.1.3</u>	Pursuant to Article 4(4) of the network code E&R, the terms and conditions to act as Restoration Service Providers are set out on a contractual basis in this proposal, including definitions, general conditions, and specific conditions for the Black Start Service.
<u>l.1.4</u>	Pursuant to Article 4(2) of the network code E&R, this proposal must be submitted to CREG for approval.
<u>l.1.5</u>	Pursuant to Article 4(7) of the network code E&R, ELIA may request amendments to these T&C RSP.

ART. I.2 IMPLEMENTATION DATE

I.2.1 These T&C RSP are valid for contracts between January 1st 2024 and December 31st 2026.

ART. I.3 LANGUAGE

 I.3.1
 The reference languages for the T&C RSP are Dutch and French. The T&C RSP will be made available to affected market players in English for information and consultation purposes.

ART. I.4 GENERAL PROVISIONS

- I.4.1 In these T&C RSP, unless the context requires otherwise:
- 1.4.1.1 The singular indicates the plural and vice versa:
- 1.4.1.2 References to one gender include all other genders;
- <u>1.4.1.3</u> The table of contents, titles and headings in these T&C RSP are for convenience only and do not affect their interpretation;
- 1.4.1.4 The word "including" and its variations are to be construed without limitation;
- <u>1.4.1.5</u> Any reference to legislation, regulations, directive, order, instrument, code or any other enactment shall include any modification, extension or re-enactment of it then in force.

Proposition of Contract for Restoration Services 2023-03-10 Signature Elia: 2<u>/</u>2 <u>V1/2023</u>



Part I - Part II - GENERAL CONDITIONS

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference] V1/20192023 [ServiceProvider] Signature [SP]:

1/27



Part II - Part III - SPECIFIC CONDITIONS FOR THE **BLACK START SERVICE**

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference]

2/27

V1/20192023 [ServiceProvider] Signature [SP]:



Art. II.1 DEFINITIONS

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference]

3/27

V1/20192023 [ServiceProvider] Signature [SP]:

	elia	
Balance Responsible Party or BRP	As defined in Article 2 (7) of the EU Comission regulation (EU) 2017/2195 of 23 November 2017 establishing a guideline on electricity balancing and recorded in the register of Balance Responsible Parties;	Formatted Table
Black Start ProcedureService	As defined in art. 2 § 1 54° of the Federal Grid Code;List of actions to be completed by the operator of a PGM in order to perform the Black Start Service;	Formatted: Indent: Left: 0 cm, Hanging: 2 cm Formatted: Heading 4;PartLv11;SLevel3, Level 4, Space Before: 0 pt
Black Start Service	As defined in art. 2 § 1 54° of the Federal Grid Code;	
Black Start (BS) Restoration facility <u>Facility</u>	Restoration <u>facilityEacility</u> capable of providing the	Formatted: Heading 4;PartLvl1;SLevel3, Level 4, Indent: Left: 0 cm, Hanging: 2 cm
Blackout State or "Blackout"	As defined in Article 3 (22) of the Comission regulation (EU) 2017/1485 of 2 August 2017 establishing a guideline on electricity transmission system operation;	
Blackout Procedure	List of actions to be completed by the operator of a PGM and which are designed to secure the PGM following a Blackout;	
CIPU ContractCode of Conduct	The contract for the Coordination of Injection of Production Units concluded with ELIA, or the regulated contract(s) that will replace this contract, in accordance with the dispositions in Art. 4 and Art. 377 of the Federal Grid Code; The Code of Conduct, established by CREG by decision (B) 2409 of October 20, 2022, and as amended from time to time, establishing conditions for connection and access to the Transmission Grid and methods for calculating or setting conditions for the provision of ancillary services and access to cross- border infrastructure, including the procedures for capacity allocation and congestion management;	
CIPU Contract Holder <u>Electrical</u> Zones	A party having signed the CIPU Contract and bearing all responsibilities originating from it; As defined in Article 3 of the Rules for Coordination and Congestion Management established in accordance with the articles 8 (§1,5°) and 23 (§2, alinea 2, 36°) of the Electricity Law, article 59 (10) of the Electricity Directive, and article 122 of the Code of Conduct and available on the Elia website . Pending the approval of the aforementioned rules by the CREG, the Electrical Zones are the following: 380 kV, Hainaut East, Hainaut West, Langerbrugge East, Langerbrugge West, Ruien,	Formatted: paragraph, Justified, Font Alignment: Baseline
	Merksem, Stalen, Liège and Schaerbeek.	Formatted: Font: 10 pt
		Formatted: English (United States)
		Formatted: English (United States)
[ContractType]Proposition of Contract for Restoration Services	4/27 [ContractReference]	
	V1/ <u>20192023</u> [ServiceProvider] // Signature [SP]:	
	elânarate fer 1.	



Formatted: Normal;Norm0.0, Left, Font Alignment:

Transmission Grid	<u>Electricity Law;</u> As defined in Article 3 of the Rules for Coordination and Congestion Management established in accordance with the articles 8 (§1,5°) and 23 (§2, alinea 2, 36°) of the Electricity Law, article 59 (10) of the Electricity Directive, and article 241 of the Federal Grid Code and available on the <u>Elia website</u> . Pending the approval of the aforementioned rules by the CREG, the electrical zones are the following: 380 kV, Hainaut East, Hainaut West, Langerbrugge East, Langerbrugge	Formatted: Normal,Normo.0, Leit, Font Alignmen
	West, Ruien, Merksem, Stalen, Liège and Schaerbeek.	Formatted: English (United States)
Elia Grid or transmission grid <u>E&R NC</u>	The transmission grid <u>Commission Regulation (EU)</u> 2017/2196 of 24 November 2017 establishing a network code on electricity emergency and restoration; as defined in Art. 2, 7° of the Electricity Law;	
Federal Grid Code	The Royal Decree of 22 april 2019, establishing a federal technical regulation for the management of and access to the transmission grid <u>Transmission Grid</u> , as amended from time to time;	
Island	Network or part of a network that is isolated and that works in Island Operation as defined in Art. 2 (43) of the commission regulation (EU) 2016/631 of 14 April 2016 establishing a network code on Requirements for grid connection of Generators hereinafter ("RfG");	
Limited Energy Reservoir Restoration Facility	A Restoration Facility that has a constrained energy production capacity and/or a constant primary energy source supply, such as batteries, hydro reservoirs or thermal units that don't have a continuous fuel supply (i.e. incinerators);	
Open Qualification Procedure	A qualification procedure in accordance with public procurement rules in which candidates for provision of the Service are screened based on criteria set by ELIA in a publication on ted.europe.eu;	
OPA Contract	The contract signed by Elia and the Outage Planning Agent, pursuant to Art. 4, §2, of the Code of Conduct;	
OPA Contract Type	The contract type for the responsibility of the unavailability planning on the Transmission Grid, as meant in Article 3, §1,f) and Art.126 of the Code of Conduct;	
Outage Planning Agent or "OPA"	As meant in Art. 124 of the Code of Conduct, and identified on the first page of the OPA Contract;	
		Formatted: English (United States)

Electrical zonesElia Grid or The Transmission Grid as defined in Art. 2, 7° of the

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration	5/27	[ContractReference]	
Services			
2020-05-07 2023-03-10	V1/20192023	[ServiceProvider]	
Signature Elia:		Signature [SP]:	



Power-Generating Module or As defined in article 2 (5) of the consiston regulation PCM* Procurement Procedures Procedures for the procurement of restoration services for the period 2024-2026, approved by CRES provident to Article 8, \$111, of the Electricity Law and published on Elia's worked* (Seconding a Restoration Service Provider (elia bol). Restoration Plan As defined in art. 3 (5) of the E&R NC; Formatted Table Restoration Service Provider (RSP* Legal entity, as defined in Art. 3 (1) of the E&R NC, and with whom ELIA has concluded a contract to provide Restoration Services as referred in Art. 28/522 of the Fedaral Edit Code of Conduct; such as, but not limited to, the Black-Start Service; Formatted Table Restoration Services Any-service-designed-to-restore-power-and-energy supply to-the transmission-system following-a Blackot Restoration Services Formatted Table Restoration facility/Eacility Electricity generating facility, comprising one or more PGMs connected to the same connection point on the transmission system and capabile of providing a certain Restoration facility conceted to the Elia Grid, to a Public Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP. Formatted Table Test Plan A plan_approved by the Minister for Energy, identifying the requipment and capabilities relevant for the system defined plan and the Restoration Facility unit the time when that Restora			
Image: Instruction of 2022-2026, approved by CREC pursuant to Antice 8, 517, of the Electricity Law and Dublished on Elia's website". (Becoming: a. Restoration Service Provider on Legal entity, as defined in Art. 3 (5) of the E&R NC; Formatted Table Restoration Service Provider on Legal entity, as defined in Art. 3 (1) of the E&R NC; Formatted Table Restoration Service Provider on Legal entity, as defined in Art. 3 (1) of the E&R NC; Formatted Table Restoration Services Any-service-designed-to-restore-power-and-energy apply to the transmission system of a Capable of providing a Blackost defined in Art. 2, 34(5-6), 52(-2) of the Federal Grite/Code of Comduct; Restoration Services Any-service-designed-to-restore-power-and-energy apply to the transmission system of a Capable of providing a certain Restoration Service; Restoration facility Connected to the service; Electricity generating facility, comprising one or more PGMs connected to the tamamission system and capable of providing a certain Restoration Service; Test Plan A facility connected to the Elia Grid, to a Public Distribution Grid or to a CDs able to provide Restoration Services to Elia through an RSP. Test Plan A pian, approved by the Minister for Energy, identifying the experiment and capability bias restored power to the system defence pian and the Restoration Facility and conditions for the tests dis swell as the periodicity and conditions for the tests, as well as the periodicity and conditions for the tests dis swell as the periodicity and conditions for the tests dis swell as the periodicity and conditions for the testsconton Facility until the time when that Resto	0	(EU) 2016/631 of 14 April 2016 establishing a network	Formatted Table
Restoration Service Provider or "RSP" Legal entity, as defined in Art.3 (1) of the E&R NC, and with whom ELIA has concluded a contract to provide Restoration Services Any service-designed to restore power-and energy eupply to the transmission-system following a Blackeut aska defined in Art. 2 (1, 53°, 60), 52°, of the Federal GH2 Code of Conduct; Restoration facility/Facility Electricity generating facility, comprising one or more PGMs connected to the same connection point on the transmission system and capable of providing a certain Restoration Service; Technical Unit(s) A facility connected to the Elia Grid, to a Public Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP; Test Plan A plan, approved by the Minister for Energy, identifying the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NGardNC and available on Elia's website; Start-up time_Time Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load.	Procurement Procedures	for the period 2024-2026, approved by CREG pursuant to Article 8, §1/1, of the Electricity Law and published on Elia's website" (Becoming a Restoration Service	
"RSP" with whom ELIA has concluded a contract to provide Restoration Services as referred in Art. 236227 of the Federal-Grid-Code_of Conduct; Restoration Services Any-service-designed to restore power and energy supply to the transmission system following a Blackout as Ag_ defined in Art. 23, 51 + 53*_6, 52; of the Federal Grid-Code_of Conduct; such as, but not limited to, the Black-Start Service; Restoration facility/Facility Electricity generating facility, comprising one or more POMs connected to the same connection point on the transmission system and capable of providing a certain Restoration Service; Technical Unit(s) A_facility connected to the Elia Grid, to a Public Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP. Test Plan A plan_approved by the Minister for Energy, identifying the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NCaendNC and available on Elia's website; Start-up timeTime Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load. Formatted: English (United States) Formatted: English (United States)	Restoration Plan	As defined in art. 3 (5) of the E&R NC;	Formatted Table
supply to the transmission system following a Blackwit acAs defined in Art. 2, §1-53°6). 52° of the Federal Grid-Code of Conduct, such as, but not limited to, the Black-Start Service; Restoration facility/Eacility Electricity generating facility, comprising one or more PGMs connected to the same connection point on the transmission system and capable of providing a certain Restoration Service; Technical Unit(s) A facility connected to the Elia Grid, to a Public Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP. Test Plan A plan, approved by the Minister for Energy, identifying defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NCanelNC and available on Elia's website; Start-up timeTime Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility until the time when that Restoration Facility until the sime when that Restoration Facility until the sime when that Restoration Facility until the time when that Restore the time subster.		with whom ELIA has concluded a contract to provide Restoration Services as referred in Art. 236227 of the	
PGMs connected to the same connection point on the transmission system and capable of providing a certain Restoration Service; Technical Unit(s) A facility connected to the Elia Grid, to a Public Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP; Test Plan A plan, approved by the Minister for Energy, identifying the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NCandMC and available on Elia's website; Start-up timeTime Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load. Formatted: English (United States)	Restoration Services	supply to the transmission system following a Blackout as <u>As</u> defined in Art. 2, §1–53°, 6), 52°, of the Federal Grid-Code of Conduct, such as, but not limited to, the	
Distribution Grid or to a CDS able to provide Restoration Services to Elia through an RSP: Test Plan A plan, approved by the Minister for Energy, identifying the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NCandNC and available on Elia's website; Start-up timeTime Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load. Formatted: English (United States)	Restoration facilityFacility	PGMs connected to the same connection point on the transmission system and capable of providing a certain	
the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R NCandNC and available on Elia's website; Start-up timeTime Time elapsed between the moment Elia requests that the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load. Formatted: English (United States)	Technical Unit(s)	Distribution Grid or to a CDS able to provide Restoration	
the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the busbar of Elia's substation and is ready to accept load.	Test Plan	the equipment and capabilities relevant for the system defence plan and the Restoration Plan that have to be tested, as well as the periodicity and conditions for the tests, defined by Elia pursuant to article 43.2 of the E&R	Formatted Table
	Start-up time <u>Time</u>	the RSP activates a Restoration Facility until the time when that Restoration Facility has restored power to the	
Formatted: English (United States)			Formatted: English (United States)
			Formatted: English (United States)

 [ContractType]Proposition of Contract for Restoration
 6/27
 [ContractReference]

 Services
 2020-05-072023-03-10
 V1/20192023
 [ServiceProvider]

 Signature Elia:
 Signature [SP]:
 Signature [SP]:



Art. II.2 PROCUREMENT OF THE BLACK START SERVICE

ART. III.2 GENERAL PROVISIONS

- II.2.1 In application of Art. 236 § 2227 § 1 of the Federal Grid Code_of Conduct, the RSP is the Grid User of a certain -BS Restoration Facility or another party designated by the Grid User as per template in Annex 6. the <u>The</u> entry into force and validity of this Contract shall be predicated upon prior signature of the CIPUOPA Contract. If the RSP is not the CIPU contract holder, the RSP shall ensure with the CIPU contract holder of the BS Restoration Facility that a CIPU contract is in force and valid;addition to the requirements in II.4;
- II.2.2 If a temporary or definitive closure of the- BS Restoration Facility is announced, the present Contract ends at the same day as the closure foreseen by the article 4bis of the Electricity Law. However, in case of temporary closure, #Elia may request to only suspend the Contract temporarily in order for Elia to be able to reactivate the Contract after the end of the temporary closure of the BS Restoration Facility for the remaining term of this Contract if the BS Restoration Facility is necessary to ensure provision of the Service in a certain zone and this without prejudice of Art. H.2.3III.2.3.
- If in addition, the BS Restoration Facility also participates to the Strategic Reserve, the present Contract ends not earlier than the last day of the Strategic Reserve Contract. The BS Restoration Facilities eligible to provide the Black-Start Service that participate to the Strategic Reserve will be considered for selection after BS Restoration Facilities that are in the market;...
- <u>II.2.4</u><u>II.2.4</u>Should the RSP or the grid user change, the new parties assuming their respective roles also assume the obligations of their respective roles in this contract.

II.2.5 Geographical distribution of -BS Restoration Facilities

The target geographical distribution of the Black Start Service zones in Belgium is described in Annex 5.

If Elia cannot contract a BS Restoration Facility for one of the 4 regional zones as mentioned in Annex 5, Elia can consider the possibility of not contracting a BS Restoration Facility supplying Black-Start Service in the concerned regional zone only under the following condition: a Restoration Plan adapted to this regional zone can be established by either a 380 kV (380 kV electrical zone) power supply or an additional Black-Start BS Restoration Facility contracted in an adjacent regional zone (meaning 2 BS Restoration Facilities located in the same zone would be contracted by Elia).

II.2.6 Two (2) BS Restoration Facilities at most can be contracted by Elia in a same electrical zone because technical and operational limitations are introduced for the dispatching in its network restoration procedures.

Art. II.3 CONDITIONS FOR PARTICIPATION IN THE BLACK START SERVICEBS RESTORATION FACILITIES

- II.3.1 Prior to submitting an offer to provide the Service, a candidate should apply to become a qualified RSP. The RSP complies with the conditions to become a qualified RSP are listed hereunder:
 - 1) Provision of a declaration (referred to as "sworn statement")set forth in which the candidate declares Procurement Procedures during the fulfilment of the obligations related to payment of social security contributions in accordance with the legal provisions, fulfilment of the obligations related to payment of taxes in accordance with the legal provisions, and situation of non-bankruptcy.

Λ	Formatted: English (United Kingdom)
-{	Formatted: English (United Kingdom)
/	Formatted: English (United Kingdom)
-{	Formatted: English (United Kingdom)
-(Formatted: English (United Kingdom)
Å	Formatted: English (United States)
λ	Formatted: English (United States)
/ `	

.

_

[ContractType]Proposition of Contract for Restoration Services	7/27	[ContractReference]
2020-05-072023-03-10	V1/20192023	[ServiceProvider]
Signature Elia:		Signature [SP]:



2) Proof of a sound financial and economical situation of the candidate.	
III.3.1 A candidate RSP can apply by submitting a completed application form and the require documents, for the applicable service to Elia. The application form and the template for th sworn statement can be downloaded on Elia's website or requested by e-mail t contracting_as@elia.be, with the contractual responsible as designated in Annex 2 i copyentire contract duration.	e Style: 1, 2, 3, + Start at: 1 + Alignment: Left + Aligned at: 0, cm + Tab after: 2, cm + Indent at: 2, cm
H.3.2 III.3.2 Aggregation rules	
If several PGMs and/or items of equipment composing a <u>BS Restoration Facility an</u> connected to the same connection point are needed in order to meet the obligations describe in Art. III.3.3, they should be able to work together in such a way that they operate in a similar way to a single PGM on the high-voltage grid.	d
Moreover, these PGMs composing the same <u>-BS Restoration Facility must distribute the</u> contribution in such a way as to maximise the dynamic stability margin.	Formatted: English (United States)
H.3.3 The RSP shall put at Elia's disposal <u>BS Restoration Facilities that meet the followin</u> conditions:	Ig Formatted: English (United States)
 Able to restore sufficiently stable power to sections of the transmission system provide power to the auxiliary equipment at other <u>BS Restoration Facilities and als</u> accept loads; 	
 Equipped with an automatic system whereby each of the PGMs at the <u>BS Restoration</u> Facility guarantees a stable and coordinated contribution to the service; 	Dn Formatted: English (United States)
 Respect the specifications for regulating voltage and reactive power production in th Federal Grid Code for each of the site's PGMs; 	e
 Capable of absorbing at least 30 Mvar at the connection point and able to handle th connection of elements of the grid that generate up to 30 Mvar under steady stat operating conditions; 	
5) Capable of instantly accepting an offtake of at least 10 MW (with a cos phi ≥ 0. inductive) and with a maximum active power volume (with a cos phi ≥ 0.8 inductive as stipulated in Annex 4 :	
 without the frequency of the Island deviating from the 49-51 Hz range, eve temporarily. This condition is without prejudice to the connexion requirement regarding frequency deviations described in the applicable legislation and/or th connexion contract of the unit; 	ts
 without the voltage at the connection point being lower than the shaded operatin range in Figure 1, even temporarily; 	g
 able to cover the temporary currents and voltages at the connection point arisin from the restoration of power to the elements mentioned above. 	ŋġ
	Formatted: English (United States)

Formatted: English (United States)


[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

I

V1/20192023 [ServiceProvider] Signature [SP]:

[ContractReference]

8/27



elia	
vide a detailed description of the onditions. This description shall al <u>data collection</u> questionnaire ¹ <u>Procedure</u> for this restoration by the RSP at its own initiative. st up-to-date version at all times	Formatted: English (United States)
this Contract. These simulations s of its -BS Restoration Facilities ompliance with the Federal Grid compliance of each of the -BS II.3. The RSP shall submit to Elia	Formatted: English (United States) Formatted: English (United States)
ions conducted. Restoration Facility and the time p Time must be equal to or less	Formatted: English (United States)
rating at the time of the Blackout;	Formatted: English (United States)
e of the step-up transformer), the the subsequent 24 hours ² whilst ations of at least 10 MW, up to a	Formatted: English (United States) Formatted: English (United States)
oration Facilities after consulting	Formatted: English (United States)
be obliged to ensure that the BS work in the event of unforeseen on Facility, about which the RSP duction (reimbursement of the	Formatted: English (United States) Formatted: English (United States)
s participating in the service, the Planning Agent that only plan the bunded up to the next unit) <u>has a</u>	Formatted: English (United States)
age of a -BS Restoration Facility t in order to prevent an excessive at the same time.	Formatted: English (United States) Formatted: English (United States)

- H.3.4[II.3.4_For each of its_ABS Restoration Facilities, the RSP shall provide a detailed description of the behaviour under steady state and transitional operating conditions. This description shall include at least the information contained in the technicaldata collection questionnaire1 completed during the procurement procedureProcurement Procedure for this restoration servicethe Black Start Service and shall be kept up-to-date by the RSP at its own initiative. Elia shall be entitled to require the RSP to provide the latest up-to-date version at all times during the term of this Contract.
- H.3.5[II.3.5]
 The RSP shall conduct simulations prior to entry into force of this Contract. These simulations shall be used to validate the compliance of each of the PGMs of its <u>BS Restoration Facilities</u> with the technical requirements in the Federal Grid Code (Compliance with the Federal Grid Code: Stability Study) and the E&R NC as well as the compliance of each of the <u>BS</u> Restoration Facilities with the requirements stipulated in Art. III.3. The RSP shall submit to Elia a report containing the results and conclusions of the simulations conducted.

Art. II.4 ART. III.4 PROVISION OF THE BLACK START SERVICE

- H.4.1 III.4.1 Between the time when Elia requests the start-up of a <u>BS Restoration Facility and the time</u> when the installation is available to accept load, this Start-up Time must be equal to or less than (as stipulated in Annex 4) :
 - 1.5 hours for a -BS Restoration Facility that was operating at the time of the Blackout;
 - \circ 3 hours for a BS Restoration Facility that was in shutdown mode at that time.

Once the voltage has been restored (on the high voltage side of the step-up transformer), the BS Restoration Facility must be able to operate for at least the subsequent 24 hours² whilst being subject to offtake fluctuations, as defined above (fluctuations of at least 10 MW, up to a maximum stipulated in Annex 4).

- **II.4.2** Elia shall stipulate the start-up procedures for the <u>_BS Restoration Facilities after consulting</u> with the RSP. These procedures are part of the Restoration Plan.
- II.4.3 As per Art. II.4.5 III.4.5 and Art. II.4.6 III.4.6 the RSP shall not be obliged to ensure that the BS Restoration Facilities remain available during maintenance work in the event of unforeseen incidents or events causing the outage of the BS Restoration Facility, about which the RSP shall notify Elia immediately. In such cases, a price reduction (reimbursement of the remuneration), as defined in Article III.8.2, shall be applied.
- H.4.4<u>III.4.4</u> For a RSP that holds three or more -BS Restoration Facilities participating in the service, the RSP shallmust ensure with the Grid User or with the Outage Planning Agent that only plan the eutage of one out of three -BS Restoration Facilities (figure rounded up to the next unit) has a planned outage at any one time.

Moreover, Elia shall be entitled to postpone the planned outage of a <u>_BS Restoration Facility</u> according to the modalities of the <u>CIPU contractOPA Contract</u> in order to prevent an excessive share of <u>itsElia's</u>_BS Restoration Facilities being unavailable at the same time.

¹ Document available on the Elia website (Becoming a Restoration Service Provider (elia.be)) ² This obligation is related to the technical ability of the BS Restoration Facility to operate for at least the subsequent 24 hours after start-up and not to the energy limit of the BS Restoration Facility. For Limited Energy Reservoir BS Restoration Facilities, Elia will take into account the energy content as defined in Art.-II.4.7.III.4.7 during the restoration of the grid.

[ContractType]Proposition of Contract for Restoration	10/27	[ContractReference]
Services		
2020-05-072023-03-10	V1/ 2019 2023	[ServiceProvider]
Signature Elia:		Signature [SP]:

Formatted: English (United States)
Formatted: English (United States)



In the occurrence of any outage or any other event impacting the -BS Restoration Facility's ability to deliver the Service (such as for example an outage of an auxiliary production unit, notwithstanding outages mentioned in Art. II.4.4III.4.4), the RSP shall immediately notify Elia by email addressed to Elia's real-time operations contact person as per Annex 2. Annex 2. The communication shall pertain information on the-BS Restoration Facility's availability to deliver the Service and the estimated duration of the unavailability.

Once the- BS Restoration Facility becomes available again the RSP shall equally inform Elia in the same way.

The days of non-availability of the Service under this Article shall also be considered for the calculation of penalties as per Art. <u>H.8.2</u>III.8.2.

H.4.6 III.4.6 The BS Restoration Facility is considered as available to supply the Black-Start Service according to the following rule:

The outage of a PGM of a _BS Restoration Facility shall be defined on the basis of 'PU' and 'FO' statuses² on day D-1 and possible updates in intraday as described in Art. II.4.5III.4.5, as specified within the framework of the <u>CIPUOPA</u> Contract <u>Type</u>, and taking into account specifications regarding the minimal configuration (i.e. number of PGMs available) for the considered _BS Restoration Facility to provide Black-Start Service as described in the restoration scenario drawn by Elia and specified in <u>Annex 1</u>_Annex 1_

On day D, the RSP's remuneration will be reduced proportionally to the number of quarterhours for which the $_BS$ Restoration Facility has been unavailable. If the $_BS$ Restoration Facility is available for less than 48 quarter hours in a day, the $_BS$ Restoration Facility is considered as unavailable for the whole day.

If the <u>CIPUOPA</u> procedures no longer apply to the PGMs of the <u>BS</u> Restoration Facility (e.g. during the summer period if the <u>BS</u> Restoration Facility is part of the Strategic Reserve), Elia shall determine, together with the RSP, an alternative method that allows for this information to be recovered in a manner that is similar to that described in the <u>CIPUOPA</u> procedures.

Elia shall assess the annual availability of the PGMs of the BS Restoration Facility for each year of this Contract based on the definition of an outage stipulated in the present Article. The applicable penalty system is described in Art. III.8.2.

H.4.7 HI.4.7 For each BS Restoration Facility, the RSP must prove to Elia that it disposes at all times of sufficient primary energy resources to be able to deliver the Service in case of Blackout :

- For BS Restoration Facilities that are not characterized as Limited Energy Reservoir. BS Restoration Facilities, the RSP must provide Elia with proof that the site has guarantees regarding the fuel supply allowing a full-load operation during a Blackout and restoration state⁴;
- For BS Restoration Facilities that are characterized as Limited Energy Reservoir BS Restoration Facilities, Elia and the RSP must determine together a requirement of minimum energy content or minimum fuel stock to be available at all times and to be used to operate during a Blackout and restoration state. This requirement must be agreed explicitly and be notified in Annex 4. This minimum energy content is defined according to the role of the BS Restoration Facility in the Restoration Plan and the specific technical characteristics of the BS Restoration Facility, such as, but not limited to:

³ The term "PU" may be replaced in a future revised OPA Contract Type by "unavailable" and will then have to be understood accordingly.
4 For gas-fired BS Restoration Facilities, an attestation from the gas system operator stating that a connection contract guaranteeing the pressure and the capacity to allow a full load operation during Blackout and restoration state has been signed is considered as sufficient proof.

Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Eng	lish (United	States)	
Formatted: Enc	lish (United	States)	

Formatted: English (United States)

Formatted: English (United States)
Formatted: English (United States)

Formatted: English (United States)
Formatted: English (United States)

Formatted: English (United States)
Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration	11/27	[ContractReference]
<u>Services</u> 2020-05-072023-03-10	V1/ 2019 2023	[ServiceProvider]
Signature Elia:		Signature [SP]:



- The **MW capability** of the -BS Restoration Facility
- The distance between the -BS Restoration Facility and the power plant that needs to be re-energized in the restoration plan<u>Restoration Plan</u> considering
 - The necessary power to re-energize the auxiliaries of the target power plant
 - The losses on the network elements
 - The minimum time necessary for the start-up of the to be re-energized power plant
 - The obligation to be able to start three times during the application of the restoration plan<u>Restoration Plan</u> as provided in Art II.3.3III.3.3
- The **type of restoration** (zonal/380kV or for an adjacent zone)

Art. II.5 EXCHANGE OF DATA RELATING TO THE PERFORMANCE OF THE CONTRACT FOR THE BLACK START SERVICERESTORATION SERVICES

 III.5.1
 The exchange of data between the Parties relating to the performance of the Contract shall take place via real-time communication and/or via offline communication, as described below.

Real-time communication

- H.5.2<u>III.5.2</u> Real-time communication shall take the form of electronic messaging in accordance with the specifications established by Elia.
- H.5.3<u>III.5.3</u> The RSP shall ensure that Elia is informed in real time of all outages of the <u>BS Restoration</u> Facilities, as described in the CIPU contract as well as of the end of the outage period.
- H.5.4<u>III.5.4</u> Elia must be able to contact the RSP at all times in order to request the start-up of a <u>-BS</u> Restoration Facility. This requires a voice-based communication channel (point to point) with a standalone capacity of at least 24 hours (without the need for an external energy source), which must be operational in the event of a Blackout, providing a link between the control room of each <u>-BS</u> Restoration Facility and Elia's dispatching centre (a regional dispatching centre for voltage levels below 380 kV and the national dispatching centre for the voltage level 380 kV).
- In the event of a Blackout, Elia shall notify the RSP if it plans to make use of the RSP's <u>BS</u> Restoration Facility(ies). In such cases, Elia shall pass on its instructions to the RSP. Elia shall guide the restoration instructions.

Offline communication

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)
Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia: 12/27 [ContractReference]

V1/20192023 [ServiceProvider] Signature [SP]:

elia	
H.5.6 <u>III.5.6</u> Any offline communications shall be made or confirmed via electronic messaging. The same shall apply to all data exchanged using the formats and software stipulated by Elia.	
H.5.7 <u>III.5.7</u> The RSP shall ensure that Elia is notified about scheduled outages of the <u>-BS Restoration</u> Facilities within the framework of the <u>CIPU contractOPA Contract</u> as well as of the end of the outage period.	Formatted: English (United States)
Art. II.6ART. III.6 COMPLIANCE TESTING OF THE -BS RESTORATION FACILITIES	
$\frac{\text{H.6.1}_{\text{II.6.1}}}{\text{Elia}} \text{Elia} \text{ shall be entitled to check the efficiency and operation of the}_{\underline{a}} \frac{\text{BS Restoration Facilities}}{\text{using tests in accordance to the Test Plan that is published at Elia's website}^{5} \frac{\text{and added in a Annex 7}}{\text{Annex 7}_{\underline{a}}}$	Formatted: English (United States)
Art. II.7 ART. III.7REMUNERATION	
H.7.1 III.7.1 The price for providing the Service by the -BS Restoration Facilities included in this Contract, is defined in Annex 1 Annex 1 and is applied <i>prorata temporis</i> for the duration of the Contract.	Formatted: English (United States)
Remuneration reduction rules are outlined in Art. III.9.	
The agreed price shall cover the availability of the Black Start Service, which implies the availability of the JBS Restoration Facility and the technical and operational capacity to provide the Black Start Service (including, in particular, the maintenance of the installations, maintenance of the procedures, staff training, as well as the RSP's internal tests and those requested by Elia and succeeded, but under no circumstances the compensation consequences of a failed test as foreseen under Article Articles III.8.5)-and III.8.6	Formatted: English (United States)
In case a minimum energy content needs to be reserved to provide the Black Start Service pursuant Art. III.4.7, the opportunity losses of not being able to participate to markets or other ancillary services due to the contractual obligations in this Contract are to be included in Annex 1 and expressed as a fixed cost per day, or as a formula with the resulting price(s) being expressed in euro per day.	
H.7.2 Without prejudice to Article H.7.1II.7.1, ELIA shall remunerate the Service Provider for any successful test conducted officially by ELIA except for the test limited to the Black Start inspection test. The remuneration per test shall be defined in <u>Annex 1</u> . Annex 1. In the case of a test that is limited to a Black Start inspection test, no ad-hoc remuneration is foreseen.	
If a test, as foreseen under the Test Plan, fails and this failure cannot be attributed to a problem relating to the Elia Grid, the _BS Restoration Facility shall be deemed to no longer be on the list of Generating Sites providing the Black Start Service. Remuneration shall be suspended, as foreseen in Art.III.8.5, and shall only resume once it has been proven, via a fresh conclusive test paid for by the RSP, that the _BS Restoration Facility can provide the Black Start Service. A price reduction shall also be granted in accordance with Article III.8.6.	Formatted: English (United States) Formatted: English (United States)
H.7.3III.7.3 The remuneration rules for a Black Start test, as described in Art.III.7.2, shall not apply for initial tests for new BS Restoration Facilities providing the Service as described in the Test Plan.	Formatted: English (United States)
In this specific case, if a -BS Restoration Facility fails two tests in a row and these failures cannot be attributed to a problem relating to the transmission system, the RSP shall be obliged to reimburse all remuneration paid by Elia since the date this Contract entered into force.	Formatted: English (United States)
⁵ At the moment of public consultation of this T&C RSP, the Test Plan is also consulted on the same page. Becoming a Restoration Service Provider (elia.be)	Formatted: English (United States) Formatted: English (United States)
ContractType]Proposition of Contract for Restoration 13/27 [ContractReference] Services 2020.6.072022.02.10 [V1/20102023 [ServiceProvided]	//
2020-05-07/2023-03-10 V1/2019/2023 [ServiceProvider] Signature Elia: Signature [SP]:	

T

I



The Contract shall only take effect again once it has been proven, via a conclusive test conducted at the RSP's expense, that the -BS Restoration Facility is able to provide the Black Start Service.

PENALTIES FOR NON-PERFORMANCE OF THE CONTRACT FOR THE Art. II.8 ART. III.8 BLACK START SERVICERESTORATION SERVICES

||.8.1|||.8.1 A price reduction shall apply when a BS Restoration Facility is affected by a full or partial outage, as defined in Art. III.4.5. The price reduction is proportional to the number of quarterhours for which the BS Restoration Facility has been unavailable as defined in Art II.4.6. The priceIII.4.6, and the price reductions shall be equal to the pricesum of the operational and opportunity costs indicated in Annex 1.

> If several PGMs grouped together at the BS Restoration Facility and connected to the same connection point are needed to meet one of the obligations described in Art. III.3, the price reduction for a one-day outage of one of these PGMs shall amount to the daily remuneration for the whole -BS Restoration Facility.

> In the case of a Limited Energy Reservoir_BS Restoration Facility, a price reduction equal to the daily remuneration as indicated in Annex 1Annex 1 shall apply if, for at least one quarter hour of the day, the minimal primary energy volume or fuel stock agreed in Annex 4 is not respected, provided the -BS Restoration Facility is available as foreseen in Art.III.4.5.

II.8.2III.8.2 In addition to the remuneration reduction outlined in Art.III.8.1, the following penalty system shall apply in the event of an excessively long outage (evaluated over a period of one year) of a PGM located at the -BS Restoration Facility:

	1
Annual availability of the BS Restoration Facility	Penalty applied
Between 255 and 325 days	One month's remuneration
Between 146 and 254 days	Two months' remuneration
Less than 145 days	Three months' remuneration

If the Contract is concluded for less than one year, annual availability shall be calculated prorata temporis.

II.8.3 III.8.3 The sum of penalties provided in articles III.8.1 and III.8.2 is subject to an annual cap, without prejudice of the responsibility of the RSP for not respecting his obligations in accordance with Article I.6 of the General Conditions.

> This cap is equal to the annual remuneration (i.e. number of days per year multiplied by daily remuneration) received by the RSP for the concerned <u>Black-Start</u>_BS Restoration Facility (prorata temporis for the duration of the Contract) and specified in Article III.7.1.

> > Formatted: English (United States)

Formatted: English (United States)

Services	· · · · · · · · · · · · · · · · · · ·	
2020-05	072023-03-10	
Signatur	e Elia:	

14/27

Signature [SP]:

V1/20192023

[ContractType]Proposition of Contract for Restoration

[ContractReference] [ServiceProvider]

Formatted: English (United States)

Field Code Changed

Formatted: English (United Kingdom)



- H.8.4<u>III.8.4</u> At the latest three months after the end of the year, Elia shall audit the availability of the <u>-BS</u> Restoration Facilities in accordance with Art.III.8.2 and shall consequently apply the price reductions to the next monthly invoice.
- H.8.5<u>III.8.5</u> If a Black Start test report indicates, in accordance with the Test Plan, that the start-uptest failed or the RSP did not correctly observe the test specifications and, providing that Elia cannot attribute this to the transmission system, payment of the remuneration for the availability of the relevant <u>BS</u> Restoration Facility shall be suspended by Elia as of and including the day of the failed test and until the RSP <u>succesfully</u> achieves a <u>successfulthe</u> test start-up. The cost of a new test or any new test-start-up within this framework shall be borne in full by the RSP.
- II.8.6<u>III.8.6</u> If a Black Start test report indicates, in accordance with the Test Plan, that the <u>start-uptest</u> failed or the RSP did not correctly observe the test specifications and, providing that Elia cannot attribute this to <u>the transmission system</u>, a price reduction equal to one (1) month's remuneration shall be payable by the RSP to Elia without prejudice to Art.III.8.5.
- H.8.7 III.8.7 The price payable by Elia shall be reduced by the cost of the price reductions determined in accordance with Articles H.7.2, III.7.2, III.8.1, III.8.2, III.8.5 and III.8.6, subject to any liability on the part of the RSP for failure to meet its obligations in accordance with Article I.6 of the General Conditions.

Art. II.9ART. III.9 INDEXATION OF THE REMUNERATION FOR THE BLACK START SERVICE

For year Y, the new unit price (€ / MW / hday) shall be calculated as follows:

$$P(Y) = P(Y-1) * \frac{NI}{BI}$$

Where:

- P (Y) = the unit price for year i
- Y = year for which the new price is determined
- Y-1 = the previous year
- NI = new index, equal to the average monthly consumer price index published on http://statbel.fgov.be/nl/statistieken/cijfers/economie/consumptieprijzen/ (in Dutch) for the last known 12 (twelve) months at the moment of the calculation of the index (which is performed on the month before delivery period).
- BI = base index, equal to the average monthly consumer price index published on http://statbel.fgov.be/nl/statistieken/cijfers/economie/consumptieprijzen/ (in Dutch) for the last known 12 (twelve) months preceding the NI period.

The indexation only applies starting from the second contract year and is exclusive to the operational and test costs as mentioned in Annex 1.

Art. II.10ART. III.10 INVOICING AND PAYMENTS FOR THE BLACK START SERVICE

H.10.1 Without prejudice to Article I.5, by the fifteenth (15th) of each calendar month M, the RSP shall send Elia a draft report on the provision of the Black Start Service during the previous month (M-1). This report shall include the following data:

 Outages at the- BS Restoration Facility during the previous month (M-1) and a proposed price reduction based on these outages.

[ContractType]Proposition of Contract for Restoration	15/27	[ContractReference]
Services		
2020-05-07 2023-03-10	V1/20192023	[ServiceProvider]
Signature Elia:		Signature [SP]:

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)
Formatted: English (United States)



The results of any tests pursuant to Art. III.6. 0

By the twentieth (20th) of each calendar month, Elia shall send the RSP its agreement with by the tright (2011) of calculation month, and and of the order the digit of the agreement of the previous month (M-1) in accordance with the provisions of Articles III.8.1, III.8.2, III.8.5 and III.8.6, including the calculation method and all the data underpinning this calculation. If the RSP challenges the invoiced price reductions, the RSP shall notify Elia without delay. The parties shall then strive to reach an amicable settlement. Failing this, the dispute resolution procedure stipulated in Article I.13 of the General Conditions shall apply.

II.10.2III.10.2 By the twenty-fifth (25th) of each calendar month M, the RSP shall send Elia its monthly invoice, which shall include in addition to the elements mentioned in Art. I.5.1:

- a. the remuneration, pursuant to Article III.7.1, for the service to be provided in the following month M+1;
- b. the remuneration reductions for the month M-1 as calculated by Elia pursuant to Art. III.8, in accordance with Art. III.10.1;
- c. the remuneration of the tests in accordance with Art <u>II.7.2</u>III.7.2.
- d. any other amount payable under the terms of this Contract;

The appropriation structure to be used by the RSP is outlined in Annex 3.

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference] 16/27 [ServiceProvider] V1/20192023

Signature [SP]:



Art. II.11ART. III.11 CONTRACT DURATION

The Parties agree that this Contract is valid from its entry into force $\underline{from \ dd/mm/yyyy}$ until $\underline{31/12/2023} \underline{dd/mm/yyyy}$ without prejudice to Art III.2.1 to Art. III.2.4.

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference] V1/20192023

17/27

[ServiceProvider] Signature [SP]:



Drawn up in Brussels in two originals, of which each Party concerned acknowledges having received one. The official version has been drawn up in Dutch and French, without one version taking precedence over the other; the English version is solely for information purposes.

ELIA Transmission Belgium N.V./S.A., represented by:

[•]	[•]
[•]	[•]
Date:	Date:

RSP, represented by:

[•]	[•]
[•]	[•]
Date:	Date:

				Å	Formatted: English (United States)
				//	Formatted: English (United States)
[ContractType]Proposition of Contract for Restoration Services	18/27	[ContractReference]	/		
2020-05-07 2023-03-10	V1/20192023	[ServiceProvider]	/		
Signature Elia:		Signature [SP]:			



ANNEX 1. BLACK START PGMS:

BS RESTORATION FACILITY XXX (LOT X: S/TART DATE – END DATE) COMPRISES PGMS A, B, C

A. <u>TOTAL: €XXX/day</u>

lotal per test: EXXX/test			
	Price		
<u>Capital costs (€)</u>			
<u>Operational costs (€/day)</u>			
<u>Opportunity costs (€/day)</u>		4	Formatted: Indent: Left: 0 cm, Space Before: 10 pt,
<u>Test costs (€/test)</u>			After: 6 pt

B. Availability Criteria

Formatted: English (United States) Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference] V1/20192023 [ServiceProvider] Signature [SP]:

19/27



ANNEX 2. CONTACT PERSONS

FOR ELIA:

	•]		
I	Boulevard de l'Empereur 20		
	1000 Bruxelles		
-	Fel.: +32 (0)2 546 7443		
I	Fax: +32 (0)2 546 7840		
I	Email: [•]		
2 Invoic	ing and payments		
<u> </u>	Settlement		
I	•]		
I	Boulevard de l'Empereur 20		
	1000 Brussels		
-	Fel.: +32 (0)2 546 7062		
I	Email: system.services@elia.be		
	nvoicing and payments		
I	ELIA TRANSMISSION BELGIUM NV		
I	•]		
I	Boulevard de l'Empereur 20		
	1000 Brussels		
3 Real-ti	me operations		
I	National dispatching (Operations)		
(Chaussée de Vilvoorde 126		
I	3-1000 Brussels		
	Fel.: +32 (0)2 382 2383		
I	Fax: +32 (0)2 382 2139		
1	Email: dispatching@elia.be	Formatt	ed: Er

Services 2020-05-072023-03-10 Signature Elia:

V1/20192023 [ServiceProvider] Signature [SP]: Formatted: English (United States)
Formatted: English (United States)



Northern regional dispatching office (Noord)	
Southern regional dispatching office (Zuid)	
4 Non real-time operations	
National dispatching (Duty)	
Chaussée de Vilvoorde 126	
B-1000 Brussels	
Tel.: +32 (0)2 382 2308	
Fax: +32 (0)2 382 2139	
Email: dispatching@elia.be	Field Code Changed
5 Analysis and preparation of tests	
[•]	
Vilvoordselaan, 126	
1000 Brussels	
Tel.: +32 (0)2 240 53 69	
Email: [•]	
FOR THE RSP:	
1 Contract monitoring	
2 Invoicing and payments 2.1 Settlement	
2.2 Invoicing and payments	
3 Real time (24h/24h)	
4 Non real-time operations	
	Formatted: English (United States)
	Formatted: English (United States)
[ContractType]Proposition of Contract for Restoration 21/27 [ContractReference]	//
Services V1/20192023 2020-05-072023-03-10 V1/20192023 [ServiceProvider]	/
Signature Elia: Signature [SP]:	



ANNEX 3. APPROPRIATION STRUCTURE

Auxiliary service	Remuneration	Booking reference
Black Start	Base price	900101
	Reduction for outages	900102

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference]

22/27

V1/20192023 [ServiceProvider] Signature [SP]:



ANNEX 4. TECHNICAL CHARACTERISTICS OF THE BLACK START PGMS

This Annex shall be completed based on the information provided in the technical questionnaire during the tender process.

This Annex consists of the completed data collection questionnaire which can be can be downloaded on ELIA website (Becoming a Restoration Service Provider (elia.be)) or requested by Email persuant to Annex 2.

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

[ContractReference] V1/20192023

23/27

[ServiceProvider] Signature [SP]:



ANNEX 5. GEOGRAPHIC DISTRIBUTION OF -BS RESTORATION FACILITIES FOR THE BLACK START SERVICE

Elia contracts one The 5 (five) Black Start Service zones are constituted as follows:

 1 (one): the 380 kV part of the ELIA Grid. Any BS Restoration Facility able to provide(proposal) who is connected directly to the Black Start Service in each of five following zones (1_380kV zone and part of the ELIA Grid is considered connected to the 380kV Black Start Service Zone.

4 regional zones);

- <u>The(four)</u> regional zones defined for the Black Start Service correspond to the aggregation of Electrical Zones (situation of 01/09/2022)⁶ as described below:
 - \odot North-West = Langerbrugge East, Langerbrugge West and Ruien
 - o___North-East = Merksem and Stalen ____
 - e__South-West = Hainaut East, Hainaut West and Schaerbeek/Brussels
 - General South-East = Liège;

 The 380 kV Electrical zone, is supplied by a Black Start BS Restoration Facility connected to the 380 kV. If no BS Restoration Facility connected directly to the 380 kV zone can be found, BS Restoration Facility connected to lower voltage networks could also provide Black-start of the 380 kV zone if they are able to.

l	Formatted: English (United States)		
$\left(\right)$	Formatted: English (United States)		
	Formatted: English (United States)		
	Formatted: Dutch (Belgium)		
	Formatted: English (United States)		
	Formatted: Bullets 1, No bullets or numbering		
	Formatted: English (United States)		
	Formatted: English (United States)		
	Formatted: English (United States)		
	Formatted: English (United States)		
	Formatted: English (United States)		
2			

⁶ The Electrical Zones are subject to change according to the rules defined in the Rules for Coordination and Congestion Management. The situation of 01/09/2022 is taken as a reference and will be used for the duration of the Black Start Service contractual period. Changes to the Electrical Zones do not impact the Black Start contract.

[ContractType]Proposition of Contract for Restoration	24/27	[ContractReference]
Services		
2020-05-072023-03-10	V1/ 2019 2023	[ServiceProvider]
Signature Elia:		Signature [SP]:

Formatted: English (United States)

Formatted: English (United States)



ANNEX 6. LETTER TEMPLATE FOR THE DESIGNATION BY GRID USER OF A RSP

ELIA Transmission Belgium NV

To the attention of [•]

Keizerslaan 20

B-1000 Brussel

Date: dd/mm/yyyy

Subject: Agreement for the transfer<u>Designation by Grid User</u> of rights and obligations regarding the supply of Restoration Services to a RSP

	Grid User	RSP
Name		
Address		

[Grid User] declares that:

- He agrees<u>designates [RSP] located at [ADDRESS]</u> to transfer the rights and obligations of the<u>conclude a</u> Contract for Restoration Services <u>with Elia</u> for the delivery period of DD/MM/20XX⁷ to 31/12/20XX-to [RSP] located at [ADDRESS].
- The access point (s) <u>ofrelated to</u> the Black Start <u>BS</u> Restoration Facilities of the Grid User are covered by a valid BRP contract signed by the BRP and <u>the Technical Unit(s) are covered by</u> a valid <u>CIPU contract</u> opA <u>Contract</u> signed by the <u>CIPU contract holderOPA</u>
- 3. The Grid User shall ensure the proper transmission to the different parties referred to the previous point of the relevant information regarding the participation of the <u>BS</u> Restoration Facility to the Service as well as the relevant information relative to the production/unavailability plans of the <u>BS</u> Restoration Facility required by each of those parties to fulfil its obligations.
- 4. He is aware of the content of the concerned contract to be concluded by Elia and [RSP]
- 5. He will not take other commitments with respect to the delivery of Restoration Services.
- 6. He is aware of the obligation as meant in article 227 §2 of the Code of Conduct

[Grid User] recognizes and agrees that the contract between Elia Transmission Belgium and [RSP] for Restoration Services is without prejudice to its rights and obligations regarding the BRP and CIPU contracts. OPA Contracts.

25/27

The Technical Units covered by this agreement are the following:

Formatted: English (United States)
Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration

⁷ Date of the effective transfer of the contractContract

Services 2020-05-072023-03-10 Signature Elia:

V1/20192023 [ServiceProvider] Signature [SP]:

[ContractReference]

Formatted: English (United Kingdom)
Formatted: English (United Kingdom)



Technical Unit	EAN

[Grid User] and [RSP] recognize that Elia is not accountable for:

- 1. A disagreement between [Grid User] and [RSP] regarding the production of energy and the delivery of Restoration Services.
- A disagreement between [Grid User], [CIPUOPA Contract Holder], [BRP] and/or [RSP] related to penalties, as provided in the contract for Restoration Services, and resulting from a faulty information provided by [Grid User].

[RSP] declares that he will inform [Grid User] in case of any modification regarding the delivery of the above mentioned service.

The present agreement between the Elia Grid User and the RSP is terminated in case the Elia Grid User notifies the RSP and Elia either of the designation by him of a new third party as RSP for the above mentioned Black Start Restoration Facility(ies) for the remaining term of the delivering period and upon signature by this new third party of a contract regarding the delivery of the Service with Elia, or of his willingness to act as the RSP himself for the latter case the Elia Grid User recognizes and agrees to take over the rights and obligations of the contract regarding the delivery of the Service from the RSP.

If a change of grid user occurs, this agreement between [Grid User] and [RSP] is no longer valid and [Grid User] ensures that the new grid user takes over the agreement under same terms and conditions.

[Grid User] with enterprise number [NUM], represented by:

Name:	Name:	
Function:	Function	
Date: dd/mm/yyyy	Date: dd/mm/yyyy	

[RSP] with enterprise number [NUM], represented by:

Name:	Name:			
Function:	Function			
Date: dd/mm/yyyy	Date: dd/	mm/www	/	Formatted: English (United States)
Date. dammiyyyy	Date: da/			Formatted: English (United States)
[ContractType]Proposition of Contract for Restoration Services	26/27	[ContractReference]		
2020-05-07<u>2</u>023-03-10	V1/ 2019 2023	[ServiceProvider]		
Signature Elia:		Signature [SP]:		



For knowledge and agreementreceipt:

Elia Transmission Belgium NV (Elia), represented by:

Name:

Function:

Date: dd/mm/yyyy

Name:

Function: Date: dd/mm/yyyy

Annex 7.

Test plan

Formatted: Normal;Norm0.0, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 8 cm, Left

Formatted: English (United States)

Formatted: English (United States)

Formatted: English (United States)

[ContractType]Proposition of Contract for Restoration Services 2020-05-072023-03-10 Signature Elia:

27/27 [ContractReference] V1/20192023

[ServiceProvider] Signature [SP]: